

PUBLICAÇÕES EM REVISTAS CIENTÍFICAS E ACTAS DE CONGRESSOS SOBRE O RIO MINHO

 CO-AUTORIA DO AQUAMUSEU DO RIO MINHO

Correia Weber M. (1986). Fishing Method and Seasonal Occurrence of Glass eel (*Anguilla anguilla* L.) in the Rio Minho, West Coast of the Iberian Peninsula. *Vie Milieu*, 36(4):243-250.

Antunes C.; Weber Michael (1990). Abundance and distribution of Eels (*Anguilla anguilla*) in the Rio Minho. *Int. Revue ges. Hydrobiol.*, 75:51-63.

Araujo R.; Moreno D.; Ramos M.A.. (1993). The asiatic clam *Corbicula fluminea* (Müller, 1774) (Bivalvia: **Corbiculidae**) in Europe. *American Malacological Bulletin*, 10(1):39-49.

Maze R.A.; Lastra M.; Mora J. (1993). Macrozoobentos del estuario del Miño (NO de España). *Publ. Espec. Inst. Esp. Oceanogr.*, 11:283-290.

Antunes C. (1994). The Seasonal Occurrence of Glass Eels (*Anguilla anguilla* L.) in the Rio Minho between 1991 and 1993 (North of Portugal). *Int. Revue Ges. Hydrobiol.*, 79:287-294.

Antunes C.; Weber M. (1996). The Glass Eel Fishery and The By-Catch in the Rio Minho After One Decade (1981-1982 and 1991-1992). *Archives of Polish Fisheries*, 4:131-139.

Boaventura R.; Pedro Ana M.; Coimbra João; Lencastre Eduardo (1997). Trout Farm Effluents: Characterization on the Receiving Streams. *Environmental Pollution*, 95(3):379-387.

Fidalgo M.L. (1998). Contribution to the ecological characterization of the River Minho estuary (Northern Portugal). *Verh.Internat. Verein. Limnol.*, 26:1448-1451.

Iglésias A.; Campos L.; Viana J.L.; Fernandez A.; Sanchez L. (1998). Estudio de la composición Corporal Del Cangrejo de Rio *Astropotamobius pallipes*. *Arch. Zootec.*, 47:473-477.

Araujo R.; Ramos M.A.; Molinet R. (1999). Growth Pattern and Dynamics of a Southern Perippheral Population of *Pisidium amnicum* (Müller, 1774) (Bivalvia: **Sphaeriidae**) in Spain. *Malacologia*, 41(1):119-137.

Granja H. M.; Ribeiro I.C.; Soares de Carvalho G.; Matias M. S.. (1999). Some Neotectonic Indicators in Quarternary Formations of the Northwest Coastal Zone of Portugal. *Phys. Chem. Earth, (A)* 24:323-336.

(S/ Autores) (1999). Informe Preliminar sobre la Situación de la Madreperla de Rio (*Margaritifera margaritifera*) en España. Seminario sobre conservación de *Margaritifera margaritifera* y *Galemys pyrenaicus* en la Península Ibérica, 1-12.

Almaça C.; B. Elvira (2000). Past and present distribution of *Acipenser sturio* L., 1758 on the Iberian Peninsula. *Bol. Inst. Esp. Oceanogr.*, 16:1-4.

Alves E.; Santos M. A. (2000). Recursos Hídricos Superficiais na bacia Hidrográfica do Rio Minho. 5º Congresso da Água: Água e o Desenvolvimento Sustentável, Desafios para o Novo Século. Associação Portuguesa dos Recursos Hídricos (APRH), 2-14.

Dias, J. A.; Garcia, C.; Dias-Del-Rio, V. (2000). Sediment Distribution Patterns on the Galicia-Minho Continental Shelf. 3rd Symposium on the Iberian Atlantic Margin. 219-220.

Dionisio L. P. C.; M. João; Ferreira V. S.; Fidalgo M. Leonor; Rosado M. Esther G.; Borrego Juan J. (2000). Occurrence of *Salmonella* spp in estuarine and coastal waters of Portugal. *Antonie van Leeuwenhoek*, 78:99-106.

Pinheiro A.; Fidalgo Leonor (2000). Contribution for the study of bacterioplankton of the River Minho Estuary (Portugal). *Verh.Internat. Verein. Limnol.*, 27:1890-1893.

✚ Antunes C. (2001). The "Aquamuseu" of the Minho River: a project for the Minho River Basin. *Bulletin de L'Institut Océanographique, Monaco*, 20:2.

Vasconcelos V.; Cerqueira Manuela (2001). Phytoplankton Community of River Minho (international section). *Limnetica*, 20(1):135-141.

Araújo M.F.; Jouanneau J.-M.; Valério P.; Barbosa T.; Gouveia A.; Weber O.; Oliveira A.; Rodrigues A.; Dias J.M.A. (2002). Geochemical tracers of northern Portuguese estuarine sediments on the shelf. *Progress in Oceanography*, 52:277-297.

Dias J.M.A.; Jouanneau J.M.; Gonzalez R.; Araújo M.F.; Drago T.; Garcia C.; Oliveira A.; Rodrigues A.; Vitorino J.; Weber O. (2002). Present day sedimentary processes on the northern Iberian shelf. *Progress in Oceanography*, 52:249-259.

Dias J.M.A.; Gonzalez R.; Garcia C.; Diaz-del-Rio V. (2002). Sediment distribution patterns on the Galicia-Minho Continental Shelf. *Progress in Oceanography*, 52:215-231.

Oliveira A.; Rocha F.; Rodrigues A.; Jouanneau J.; Dias A.; Weber O.; Gomes C. (2002). Clay minerals from the sedimentary cover from the Northwest Iberian Shelf. *Progress in Oceanography*, 52:233-247.

Antunes C.; Correia A. T. (2003). Sagitta microstructure of european conger eel, *Conger conger* (L.), leptocephali compared with leptocephali of the eel, *Anguilla anguilla* (L.). *Archive of Fishery and Marine Research*, 50(3):227-237.

Correia A.T.; Antunes C.; Isidro E.J.; Coimbra J. (2003). Changes in otolith microstructure and microchemistry during larval development of the European conger eel (*Conger conger*). *Marine Biology*, 142:777-789.

Fatela F.; Moreno João; Cascalho João; Silveira Tanya; Fradique Catarina & Drago Teresa (2003). Variação extrema da Salinidade: Uma Condicionante da Distribuição dos foraminíferos "vivos" no Estuário dos Rios Minho e Coura. VI Congresso Nacional de Geologia (2003), Ciências da Terra (UNL), Lisboa, Nº esp.V, A68-A71.

Lacorte S.; Guillamón Míriam; Martínez Elena; Viana Paula; Barcelo Damía (2003). Occurrence and Specific Congener Profile of 40 Polybrominated Diphenyl Ethers in River and Coastal Sediments from Portugal. *Environ. Sci. Technol.*, 37:892-898.

Cairrão E.; Couderchet M.; Soares A.M.V.M.; Guilhermino L. (2004). Glutathione-S-transferase activity of *Fucus* spp. as a biomarker of environmental contamination. *Aquatic Toxicology*, 70:277-286.

Moreno F.; Araújo M. de Fátima; Moreno João; Fatela Francisco e Drago Teresa (2004). Geoquímica de Sedimentos Fluvio-Estuarianos do Rio Minho: Avaliação Preliminar do actual Grau


de Enriquecimento/Contaminação Por Metais. Congresso Internacional sobre o Rio Minho: Por Uma Nova Cultura da Água. Melgaço Maio. 001-15.

San Miguel E. S.; Monserrat S.; Fernanández C.; Amaro R.; Hermida M.; Ondina P.; Altaba C.R. (2004). Growth models and longevity of freshwater pearl mussels (*Margaritifera margaritifera*) in Spain. *Can. J. Zool.*, 82:1370-1379.

Aguilar A.; Álvarez M.F.; Leiro J.M.; Sanmartín M.L. (2005). Parasite Populations of the European eel (*Anguilla anguilla* L.) in the Rivers Ulla and tea (Galicia, Northwest Spain). *Aquaculture*, 249:85-94.

Cunha I.; Hoff Philippe; Van de Vijver Kristin; Guilhermino Lúcia; Esmans Eddy; Wim de Coen (2005). Baseline Study of Perfluorooctane Sulfonate Occurrence in Mussels, *Mytilus galloprovincialis*, from North-central Portuguese Estuaries. *Marine Pollution Bulletin*, 50:1121-1145.

Díez S.; Lacorte Sílvia; Viana Paula; Barceló Damiá; Bayona Josep M. 2005). Survey of organotion compounds in rivers and coastal environments in Portugal 1999-2000. *Environmental Pollution*, 136:525-536.

 Elumalai M.; Antunes C.; Guilhermino L. (2005). Alterations of Reproductive Parameters in the Crab, *Carcinus maenas*, after Exposure to Metals. *Water, Air, and Soil Pollution*. 160. 245-258.

Moreno J.; Fatela F.; Cascalho J.; Moreno F.; Drago T. (2005). Living Foraminiferal Assemblages from the Minho and Coura Estuaries (Northern Portugal): A Stressfull Environment. *Thalassas, an International Journal of Marine Sciences*, 21(1):17-28.

Moreno F.; Moreno J.; Fatela F.; Valente T.; Guise L.; Araújo M. Fátima; Drago T. (2005). Geoquímica de Sedimentos em Ambientes Típicos de Sapal- O Exemplo do Sapal de Caminha (NW de Portugal). XIV Semana De Geoquímica dos Países de Língua Portuguesa. 661-664.

Moreno F.; Araújo M. Fátima; Moreno J.; F. Fatela; Drago T. (2005). Caracterização Geoquímica de sedimentos Superficiais do Estuário do Rio Minho e do Sapal de Caminha (NW de Portugal) - Estimativa do Potencial de Stress Biológico. XIV Semana de Geoquímica /VIII Congresso de Geoquímica dos Países de Lingua Portuguesa. 675-678.

Moreno F.; Araújo Maria de Fátima; Moreno João; Fatela Francisco; Drago Teresa (s/data). Geoquímica de Sedimentos Fluvio-Estuarianos do Rio Minho: Avaliação Preliminar do Actual Grau de Enriquecimento/Contaminação por Metais, 15p.

Moreno J.; Fatela Francisco (2005). Palaeoenvironmental Evolution over the last 10 Kyr BP at Caminha Tidal Marsh (NW of Portugal): Foraminiferal Evidences. *Iberian Coastal Holocene Paleoenvironmental Evolution*, 94-96.

Monteiro M.; Quintaneiro C.; Morgado F.; Soares A.M.V.M.; Guilhermino L. (2005). Characterization of the cholinesterases present in head tissues of the estuarine fish *Pomatoschistus microps*: Application to biomonitoring. *Ecotoxicology and Environmental Safety*, 62:341-347.

Moreira S. M.; Moreira-Santos Matilde; Guilhermino Lúcia; Ribeiro Rui (2005). A Short-Term Sublethal in situ Toxicity Assay with *Hediste diversicolor* (Polychaeta) for Estuarine Sediments Based on Postexposure Feeding, 24 (8):2010-2018.

Nunes B.; Carvalho F.; Guilhermino L. (2005). Acute toxicity of widely used pharmaceuticals in aquatic species: *Gambusia holbrooki*, *Artemia parthenogenetica* and *Tetraselmis chuii*. *Ecotoxicology and Environmental Safety*, 61:413-419.

Sousa P.; Azevedo Manuela; Gomes Manuel C. (2005). Demersal assemblages off Portugal: Mapping, seasonal and temporal patterns. *Fisheries Research*, 75:120-137.

✚ Sousa R.; Guilhermino L.; Antunes C. (2005). Molluscan fauna in the freshwater tidal area of the River Minho estuary, NW of Iberian Peninsula. *Ann. Limnol. -Int. J. Lim.*, 41(2):141-147.

Anne; Fidalgo M.L.; Thosthrup L. and Christoffersen K.. (2006). Influence of Filtration and glucose amendment on bacterial growth rate at different tidal conditions in the Minho estuary River (NW Portugal). *Limnetica*. 25(3):637-646.

Bouza C.; Castro Jaime; Martínez Paulino; Amaro Rafaela; Fernández Carlos; Paz Ondina; Outeiro Adolfo; San Miguel Eduardo (2006). Threatened Freshwater Pearl Mussel *Margaritifera L.* in NW Spain. Low and Very Structured Genetic Variation in Southern Peripheral populations Assessed using Microsatellite Markers. *Conserv. Genet.*, 1-12.

Cabral J.P. (2006). A Utilização de Conchas de Moluscos para o Fabrico de cal na ilha da ínsua (Noroeste de Portugal) no Século XV. 2º Congresso Ibérico de Ecologia, 18-21.

Castro M.; Alvarez I.; Varela M.; Prego R.; Gomes-Gesteira M. (2006). Miño River dams discharge on neighbor Galician Rias Baixas (NW Iberian Peninsula): Hydrological, chemical and biological changes in water column. *Estuarine, Coastal and Shelf Science*, 70:52-62.

✚ Correia A.T.; Antunes C.; Wilson J. M. and Coimbra J. (2006). An evaluation of the otolith characteristics of *Conger conger* during metamorphosis. *Jornal of Biology*. 68. 99-119.

✚ Correia A.T.; Faria Rui; Alexandrino Paulo; Antunes C.; Isidro Eduardo José; Coimbra João (2006). Evidence for genetic differentiation in the European Conger eel, *Conger conger*, based on mitochondrial DNA Analysis. *Fisheries Science*. 72. 20-27.

Fatela F.; Moreno João (2006). Salinity dynamics and living Foraminifera assemblages at Caminha Tidal-Marsh (Northern Portugal). *Foram 2006-International Symposion Foraminifera, Natal, Brasil Setembro 2006*. 1.

Moreno J.; Fatela Francisco; Andrade César; Drago Teresa (2006). Distribution and new Ecological data of *Pseudothurammia limnetis* (Scott and Mediolli) on the Brackish Tidal Marshes of Minho/Coura estuary, Northern Portugal. *Revue de Micropaléontologie*, 49:45-53.

Almeida C.; Serôdio P.; Florêncio M.H. (2007). New strategies to screen for endocrine-disrupting chemicals in the Portuguese marine environment utilizing large volume injection-capillary gas chromatography-mass spectrometry combined with retention time locking libraries (LVI-GC-MS-RTL). *Anal Bioanal Chem*. 387(7):2569-2583.

Cabral H. N.; Vasconcelos Rita; Vinagre Catarina; França Susana; Fonseca Vanessa; Maia Anabela; Reis-Santos Patrick; Lopes Marta; Ruano Miguel; Campos Joana; Freitas Vânia; Santos Paulo T.; Costa M. J. (2007). Relative importance of estuarine flatfish nurseries along the Portuguese coast. *Journal of Sea Research*. 57:209-217.

✚ Fatela F.; Moreno J.; Antunes C. (2007). Salinity Influence on Foraminiferal Tidal Marsh Assemblages of NW Portugal: An Anthropogenic constraint. *Thalassas, International Journal of Marine Sciences*, 51-63.

- ✚ Wilson J. M.; Leitão Alexandre; Gonçalves Ana Filipa; Ferreira Catarina; Reis-Santos Patrick; Fonseca Ana V.; Silva Joana M.; Antunes C.; Pereira-Wilson Cristina; Coimbra João (2007). Modulation of branchial ion transport protein expression by salinity in glass eels (*Anguilla anguilla* L.). *Marine Biology*, 151(5):1633-1645.
- ✚ Wilson J.M.; Reis-Santos P.; Fonseca A.V.; Antunes C.; Bouça P.D.; Coimbra J. (2007). Seasonal changes in ionoregulatory variables of the glass eel *Anguilla anguilla* following estuarine entry: comparison with resident eelers. *Journal of Fish Biology*, 70:1239-1253.
- ✚ Sousa R.; Antunes C.; Guilhermino Lúcia (2007). Species composition and monthly variation of the Molluscan fauna in the freshwater subtidal area of the River Minho estuary. *Estuarine, Coastal and Shelf Science*, 75:90-100.
- ✚ Sousa R.; Freire Ruth; Rufino Marta; Méndez Josefina; Gaspar Miguel; Antunes C.; Guilhermino Lúcia (2007). Genetic and shell morphological variability of the invasive bivalve *Corbicula fluminea* (Müller, 1774) in two Portuguese estuaries. *Estuarine Coastal and Shelf Science*, 74: 166-174.
- ✚ Sousa R.; Antunes C.; Guilhermino Lúcia (2007). Species composition and monthly variation of the Molluscan fauna in the freshwater subtidal area of the River Minho estuary. *Estuarine, Coastal and Shelf Science*, 75:90-100.
- ✚ Sousa R.; Dias Sérgio C., Guilhermino Lúcia; Antunes C. (2008). Minho River tidal freshwater Wetlands: threats to faunal biodiversity. *Aquatic Biology*, 3:237-250.
- ✚ Sousa R.; Antunes C.; Guilhermino L. (2008). Ecology of the invasive Asian clam *Corbicula fluminea* (Müller, 1774) in aquatic ecosystems: an overview. *Ann. Limnol. Int. J. Limn.*, 44:85-94.
- ✚ Sousa R.; Rufino Marta; Gaspar Miguel; Antunes C.; Guilhermino Lúcia (2008). Abiotic impacts on spatial and temporal distribution of *Corbicula fluminea* (Müller, 1774) in the River Minho Estuary, Portugal. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 18:98-110.
- ✚ Sousa R.; Nogueira A. J.A.; Antunes C.; Guilhermino Lúcia (2008). Growth and production of *Pisidium amnicum* in the freshwater tidal area of the river Minho estuary. *Estuarine, Coastal and Shelf Science*, 79:467-474.
- ✚ Sousa R.; Morais Pedro; Antunes C.; Guilhermino Lúcia (2008). Factors affecting *Pisidium amnicum* (Müller, 1774; Bivalvia: **Sphaeriidae**) distribution in the River Minho estuary: Consequences for its Conservation. *Estuaries and Coasts*, 31:1198-1207.
- ✚ Sousa R.; Nogueira A. J.A.; Gaspar Miguel B.; Antunes C.; Guilhermino Lúcia (2008). Growth and extremely high production of the non-indigenous invasive species *Corbicula fluminea* (Müller, 1774): Possible implications for ecosystem functioning. *Estuarine Coastal and Shelf Science*, 80:289-295.

Cobo F. (2009). Estado de Conservación y pesquería da la lamprea de mar (*Petromyzon marinus*) en Galicia. *Foro Ac. Rec. Mar. Rias Gal.*, 11:43-48.

Fatela F.; Moreno João; Moreno Filipa; Araújo M. Fátima; Valente Teresa; Antunes C.; Taborda Rui; Andrade César; Grade Teresa (2009). Environmental constraints of foraminiferal assemblages distribution across a brackish tidal marsh (Caminha, NW Portugal). *Marine Micropaleontology*, 70:70-88.

- ✚ Freitas V.; Costa-Dias S rgia; Campos Joana; Bio Ana; Santos Paulo; Antunes C. (2009). Patterns in abundance and distribution of juvenile flounder, *Platichthys flesus*, in Minho estuary (NW Iberian Peninsula). *Aquat. Ecol.*, 43(4): 1143-1153.

Guimar es L.; Gravato Carlos; Santos Joana; Monteiro Lu s S.; Guilhermino L cia (2009). Yellow eel (*Anguilla anguilla*) development in NW Portuguese estuaries with different contamination levels. *Ecotoxicology*, 18:385-402.

- ✚ Reis P. A., C.; Antunes C.; Almeida Marisa R. (2009). Metal Levels in sediments from the Minho estuary salt marsh: a metal clean area. *Environ. Monit. Assess.*, 159(1):191-205.

Rubal Marcos; Guilhermino L cia; Mat as H. Medina (2009). Individual, population and community level effects of subtle anthropogenic contamination in estuarine meiobenthos. *Environmental Pollution*, 157:2751-2758.

Sousa R.; Guti rrez Jorge L., Aldridge David C. (2009). Non-Indigenous invasive bivalves as ecosystem engineers. *Biol. Invasions*. 11. 2367-2385.

Fran a Susana; Costa M. J.; Cabral Henrique N. (2009). Assessing habitat specific fish assemblages in estuaries along the Portuguese Coast. *Estuarine, Coastal and Shelf Science*, 83: 1-12.

Cobo F.; Vieira-Lanero Rufino; Rego Enrique; Servia Mar a J. (2010). Temporal trends in non-indigenous freshwater species records the Iberian Peninsula. *Biodivers. Conserv.*, 19:3471-3487.

- ✚ Costa-Dias S.; Dias E.; Lob n-Cerv a J.; Antunes C.; J. Coimbra (2010). Infection by *Anguillicoloides crassus* in a riverine stock of European eel, *Anguilla anguilla*. *Fisheries Management and Ecology*, 17:485-492.

- ✚ Costa-Dias S.; Freitas V nia; Sousa Ronaldo; Antunes C. (2010). Factors influencing epibenthic assemblages in the Minho Estuary (NW Iberian Peninsula). *Marine Pollution Bulletin*, 61:240-246.

Gravato C.; Guimar es Laura; Santos Joana; Faria Melissa; Alves Anabela; Guilhermino L cia (2010). Comparative study about the effects of pollution on glass and yellow eels (*Anguilla anguilla*) from the estuaries of Minho, Lima and Douro Rivers (NW Portugal). *Ecotoxicology and Environmental Safety* 73(4):524-533

- ✚ Iglesias T.; Lob n-Cerv a Javier; Costa Dias S rgia; Antunes C. (2010). Variation of life traits of glass eels of *Anguilla anguilla* (L.) during the colonization of R os Nal n and Minho estuaries (northwestern Iberian Peninsula). *Hydrobiologia*. 001-11.

Leorri E.; Gehrels W. Roland; Horton Benjamin P.; Fatela Francisco; Cearreta Alejandro (2010). Distribution of foraminifera in salt marshes along the Atlantic coast of SW Europe: Tools to reconstruct past sea-level variations. *Quaternary International*, 221:104-115.

Dolbeth Marina; Martinho Filipe; Freitas V nia; Costa-Dias S rgia; Campos Joana; Pardal M.  ngelo. (2010). Multi-year comparisons of fish recruitment, growth and production in two drought-affected Iberian estuaries. *Marine and Freshwater Research*, 61:1399-1415.

Fran a S.; Costa M. J.; Cabral Henrique N. (2011). Inter-and- intra-estuarine fish assemblage variability patterns along the portuguese coast. *Estuarine, Coastal and shelf Science*, 91:262-271.

- ✚ Ilarri Martina I.; Antunes C.; Guilhermino L cia; Sousa Ronaldo. (2011). Massive mortality of the Asian clam *Corbicula fluminea* in a highly invaded area. *Biol. Invasions*. 13. 277-280.

✚ Morais P.; Dias Ester; Babaluk John; Antunes C. (2011). The migration patterns of the European flounder *Platichthys flesus* (Linnaeus, 1758) (**Pleuronectidae**, Pisces) at the southern limit of its distribution range: Ecological implications and fishery management. *Journal of Sea Research*, 65:235-246.

✚ Mota M.; Antunes C. (2011). First report on the status of Allis Shad (*Alosa alosa*) in the Minho River (Northwestern Iberian Peninsula). *Applied Ichthyology*, 27:56-59.

Souza A. T.; Ilarri Martina ; Campos Joana; Marques João C.; Martins Irene (2011). Differences in the neighborhood: Structural variations in the carapace of shore crabs *Carcinus maenas* (Decapoda: **Portunidae**). *Estuarine, Coastal and shelf Science*, 95:424-430.

✚ Sousa R.; Ilarri Martina; Souza Allan T.; Antunes C.; Guilhermino Lúcia (2011). Rapid decline of the greater European peacclam at the periphery of its distribution. *Ann. Limnol. - Int. J. Lim.*, 47:211-219.

Portela L. I. (S/ data). Evolução Morfológica, Hidrodinâmica e Dinâmica Sedimentar do Estuário do Rio Minho. 3º Seminario sobre Gestão de Bacias Hidrográficas "Os estuários", Actas: 65-71.

De la Rosa J.M.; Araújo M.F.; González-Perez J.A.; González-Vila F.J.; Soares A.M.; Martins J.M.; Iborra E.; Corbett R.; Fatela F. (2012). Organic matter sources for tidal marsh sediment over the past two millenia in the Minho River estuary (NW Iberian Peninsula). *Organic Geochemistry*. 53:16-24.

✚ Dias E.; Morais Pedro; Mardik Leopold; Campos Joana; Antunes C. (2012). Natural born indicators: Great cormorant *Phalacrocorax carbo* (Aves: **Phalacrocoracidae**) as monitors of river discharge influence on estuarine ichthyofauna. *Journal of Sea Research*, 73:101-108.

Genner M. J.; Hillman Robert; Mchugh Matthew; Hawkins Stephen J.; Lucas Martyn C. (2012). Contrasting demographic histories of European and North American sea lamprey (*Petromyzon marinus*) populations inferred from mitochondrial DNA sequence variation. *Marine and Freshwater Research*, 63:827-833.

✚ Ilarri M.; Freitas Fabiana; Costa-Dias Sérgia; Antunes C.; Guilhermino Lúcia; Sousa Ronaldo (2012). Associate macrozoobenthos with the invasive Asian clam *Corbicula fluminea*. *Journal of Sea Research*, 72:113-120.

Sánchez-Hernández J.; Servia María J.; Vieira-Lanero Rufino; Cobo Fernando (2012). Aplicación del análisis de los rasgos ecológicos ("traits") de las presas para el estudio del comportamiento alimentario en peces bentófagos: el ejemplo del espinoso (*Gasterosteus gymnurus* Cuvier, 1829). *Limnetica*, 59:59-76.

Sánchez-Hernández J.; Servia María J.; Vieira Rufino; Barca-Bravo Sandra; Cobo Fernando (2012). References data on the growth and population parameters of brown trout in siliceous rivers of Galicia (NW Spain). *Limnetica*, 31(2):273-288.

Sousa R.; Varandas Simone; Cortes Rui; Teixeira Amílcar, Lopes-Lima Manuel; Machado Jorge, Guilhermino Lúcia (2012). Massive die-offs freshwater bivalves as resource pulses. *Ann. Limnol. - Int.J. Lim.*, 48:105-112.

Viveen W.; Braucher R.; Bourlés D.; Schoorl J.M.; Veldkamp A.; Balen R.T. Van; Wallinga J.; Fernandez-Mosquera D.; Vidal-Romani J.R.; Sanjurjo-Sanchez J. (2012). A 0, 65 Ma chronology

and incision rate assessment of the NW Iberian Miño River terraces based on ¹⁰Be and luminescence dating. *Global and Planetary Change*, 94-95:82-100.

Viveen W., Balen R.T.Van; Schoorl J.M.; Veldkamp A.; Temme A.J.A.M.; Vidal-Romani J.R. (2012). Assessment of recent tectonic activity on the NW Iberian Atlantic margin by means of geomorphic indices and field studies of the Lower Miño River terraces. *Tectonophysics*, 13-30.

✚ Araújo M.J.; Novais D.; Antunes C. (2013). Record of a newly metamorphosed anadromous sea lamprey (*Petromyzon marinus* Linnaeus, 1758) feeding on a freshwater fish. *Applied Ichthyology*, 29:1380-1381.

✚ Araújo M. J.; Reis Pedro; Braga Ana Catarina; Antunes C. (2013). Metal levels and accumulation patterns of sea lamprey ammocoetes (*Petromyzon marinus* Linnaeus, 1758) from a tidal freshwater habitat. *Ann. Limnol. - Int. J. Lim.*, 49:107-112.

✚ Araújo M.J.; Ozório R.O.A.; Bessa R.J.B.; Kijoa A.; Gonçalves J.F.M.; Antunes C. (2013). Nutritional status of adult sea lamprey (*Petromyzon marinus* Linnaeus, 1758) during spawning migration in the Minho River, NW Iberian Peninsula. *Applied Ichthyology*, 1-7.

Bao M.; Garci M.E.; J.M. Antonio; Pascual S. (2013). First report of *Anisakis simplex* (Nematoda, **Anisakidae**) in the sea lamprey (*Petromyzon marinus*). *Food Control*, 33:81-86.

Conde A.; Novais Júlio M.; Domínguez Jorge (2013). Characterization of an estuarine environment by means of an index based on intertidal macrofauna. *Marine Pollution Bulletin*, 71:129-138.

Ferreira A. F.; Quintella B.R.; Maia C.; Mateus C.S.; C.M. Alexandre; Capinha C.; Almeida P.R.. (2013). Influence of macrohabitat preferences on the distribution of European brook and river lampreys: Implications for conservation and management. *Biological Conservation*, 159:175-186.

Santos S.; Vilar Vitor J.P.; Alves Patrícia; Boaventura Rui A. R.; Botelho Cidália (2013). Water quality in Minho/Miño River (Portugal/Spain). *Environmental Monitoring and Assessment*, 185:3269-3281.

✚ Sousa R.; Freitas Fabiana E.P.; Mota Micaela; Nogueira António J.A.; Antunes C. (2013). Invasive dynamics of the crayfish *Procambarus clarkii* (Girard, 1852) in the international section of the River Minho (NW of the Iberian Peninsula). *Aquatic Conservation: Marine and Freshwater Ecosystems*, 23:56-666.

Souza A. T.; Dias Ester; Nogueira Ana; Campos Joana; Marques João C.; Martins Irene (2013). Population ecology and habitat preferences of juvenile flounder *Platichthys flesus* (Actinopterygii: **Pleuronectidae**) in a temperate estuary. *Journal of Sea Research*, 1-10.

Sousa A.T.; Dias E.; Campos J.; Marques J.C.; Martins I. (2013). Structure, growth and production of a remarkably abundant population of the common goby, *Pomatoschistus microps* (Actinopterygii: **Gobiidae**). *Environ Biol. Fish.*, 1-15.

Viveen W.; Schoorl J.M.; Veldkamp A.; Balen R.T. Van; Desprat S.; Romani J.R. Vidal (2013). Reconstructing the interacting effects of base level, climate, and tectonic uplift in the lower Miño River terrace record: a gradient modelling evaluation. *Geomorphology*, 1-23.

✚ Dias E.; Morais Pedro; Antunes C.; Hoffman Joel C. (2014). Linking terrestrial and benthic estuarine ecosystems: organic matter sources supporting the high secondary production of a non-indigenous bivalve. *Biol. Invasions*, 1-17.

✚ Mota M.; Sousa Ronaldo; Araújo Jorge; Braga Catarina; Antunes C. (2014). Ecology and conservation of freshwater fish: time to act for a more effective management. *Ecology of Freshwater Fish*, 111-113.

✚ Mota M.; Sousa Ronaldo; Bio Ana; Araujo Jorge; Braga Catarina; Antunes C. (2014). Seasonal changes in fish assemblages in the river Minho tidal freshwater wetlands, NW of the Iberian Peninsula. *Ann. Limnol. -int. J. Lim.*, 50:185-198.

Silva S.; Araújo Mario J.; Bao Miguel; Mucientes Gonzalo; Cobo Fernando. (2014). The haematophagous feeding stage of anadromous populations of sea lamprey *Petromyzon marinus*: low host selectivity and wide range of habitats. *Hydrobiologia*, 1-14.

Sousa M. C.; Mendes Renato; Alvarez Ines, Vaz Nuno; Gomes-Gesteira Moncho; Dias J. M. (2014). Unusual Circulation Patterns of the Rias Baixas Induced by Minho Freshwater Intrusion (NW of the Iberian Peninsula). *Plos/one*. 9. 001-009.

Viveen W.; Sanjurjo-Sanchez Jorge; Goy-Diz Ana; Veldkamp Antonie; Schoorl Jeroen M. (2014). Paleofloods and ancient fishing weirs in NW Iberian rivers. *Quaternary Research*, 1-10.

✚ Bao M.; Mota M.; Nachón D.J.; Antunes C.; Cobo F.; Garci M.E.; Pierce G.J.; Pascual S. (2015). Anisakis infection in allis shad, *Alosa alosa* (Linnaeus, 1758), and twaite shad, *Alosa fallax* (Lacépède, 1803) from Western Iberian Peninsula Rivers: Zoonotic and ecological implications. *Parasitol. Res.*, 114(6):2143-2154

✚ Bao M., Roura A., Mota M., Nachón D.J., Antunes C., Cobo F., MacKenzie K., Pascual S. (2015). Macroparasites of allis shad, *Alosa alosa* (Linnaeus, 1758), and twaite shad, *Alosa fallax* (Lacépède, 1803) of the Western Iberian Peninsula Rivers: ecological, phylogenetic and zoonotic insights. *Parasitology Research*. DOI 10.1007/s00436-015-4601-1.

Ilarri M. I.; Souza A. T.; Sousa R. (2015). Contrasting decay rates of freshwater bivalves shells: Aquatic versus terrestrial habitats. *Limnologica*, 51: 8-14.

Ilari M.L.; Souza A.T.; Modesto V.; Guilhermino L.; Sousa R. (2015). Differences in the macrozoobenthic fauna colonising empty bivalve shells before and after invasion by *Corbicula fluminea*. *Marine and Freshwater Research*, 66(6):1-10.

✚ Martin J.; Rougemont Q.; Drouineau H.; Launey S., Jatteau P.; Bareille G.; Pécheyran C.; Feunteun E.; Roques S.; Clavé D.; Nachón D.; Antunes C.; Mota M.; Réveillac E.; Daverat F. (2015). Dispersal capacities of anadromous allis shad population inferred from a coupled genetic and otolith approach. *Can. J. Fish. Aquat. Sci.*, 72(7):1-51.

✚ Nachón D. J., Mota M., Antunes C., Servia M. J., Cobo F. (2015). Marine and continental distribution and dynamic of the early spawning migration of twaite shad, *Alosa fallax* (Lacépède, 1803), and allis shad, *Alosa alosa* (Linnaeus, 1758), in the Northwest of the Iberian Peninsula. *Marine and Freshwater Research*. DOI:10.1071/MF14243

✚ Mota M.; Bio A.; Bao M.; Pascual S.; Rochard E.; Antunes C. (2015). New insights into biology and ecology of the Minho river Allis shad (*Alosa alosa* L.): contribution to the conservation of the last European Shad populations. *Rev. Fish Biol Fisheries*, 25(2): 1-18

Novais A.; Souza A. T.; Ilarri M.; Pascoal C.; Sousa R. (2015). Facilitation in the low intertidal: effects of on invasive species on the structure of an estuarine macrozoobenthic assemblage. *Marine Ecology Progress Series*, 522:157-167.

Novais A.; Souza A. T.; Ilarri M.; Pascoal C.; Sousa R. (2015). From water to land: How an invasive clam may function as resource pulse to terrestrial invertebrates. *Science of the Total Environment*, 538:664-671.

Vieira L. R.; Guilhermino L.; Morgado F. (2015). Zooplankton structure and dynamics in two estuaries from the Atlantic coast in relation to multi-stressors exposure. *Estuarine, Coastal and Shelf Science*, 167: 347-367.

✚ Antunes C.; Cobo F.; Araújo M. J. (2016). Iberian Inland Fisheries. *In* *Freshwater Fisheries Ecology*. John F. Craig (ed.), John Wiley & Sons Inc., pp 268-282.

✚ Araújo M.; Silva S.; Stratoudakis Y.; Gonçalves M.; Lopez R.; Carneiro M.; Martins R.; Cobo F.; Antunes C. (2016). Sea Lamprey Fisheries in the Iberian Peninsula. *In* *Jawless Fishes of the World*. Orlov A. M. & Beamish R. (ed.), Cambridge Scholars Publishing, pp 115-148.

✚ Ferreira-Martins D.; Coimbra J.; Antunes C.; Wilson J.M. (2016). Effects of salinity on upstream-migrating, spawning sea lamprey, *Petromyzon marinus*. *Conservation Physiology* 4: doi: 10.1093/conphys/cov064

Mendes Renato; Sousa Magda Catarina; Castro Maite; Gómez-Gesteira; Dias João Miguel (2016). New insights into the Western Iberian Buoyant Plume: Interaction between the Douro and Minho River plumes under winter conditions. *Progress in Oceanography* 141 (2016) 30-43

Novais A.; Dias E.; Sousa R. (2016). Inter- and intraspecific variation of carbon and nitrogen stable isotope ratios in freshwater bivalves. *Hydrobiologia*, 765(1):1-9.

✚ Stratoudakis Yorgos; Mateus Catarina Sofia; Quintella Bernardo Ruivo; Antunes C.; Almeida Pedro Raposo (2016). Exploited anadromous fish in Portugal: Suggested direction for conservation and management. *Marine Policy* 73:92-99

Capela R.; Raimundo J.; Santos M. M.; Caetano M.; Micaela C.; Vale C.; Guimarães L.; Reis-Henriques M. A. (2016). The use of biomarkers as integrative tools for transitional water bodies monitoring in the Water Framework Directive context – A holistic approach in Minho river transitional waters. *Science of the Total Environment* 539:85-96

Moreno J.; Fatela F.; Leorri E.; Moreno F.; Freitas M. C.; Valente T.; Araújo M. F.; Gómez-Navarro J. J.; Guise L.; Blake W.H. (2016). Bromine soil/sediment enrichment in tidal salt marshes as a potential indicator of climate changes driven by solar activity: New insights from W coast Portuguese estuaries. *Science of the Total Environment* 580:324-338

García-Álvarez J.; Puente-Lozano P. (2016). A controversial natural border: The making of Spanish-Portuguese boundary along the Minho River (1855-1866). *Geoforum* 79:5-16

✚ Ferreira-Rodríguez N.; Prado I. (2017). The interactive effects of temperature, trophic status, and the presence of an exotic clam on the performance of a native freshwater mussel. *Hydrobiologia*: DOI: 10.1007/s10750-017-3170-y

✚ Castro P. S.; Ilarri M. I.; Modesto V.; Antunes C.; Sousa R. (2017). Palatability of the Asian clam *Corbicula fluminea* (Müller 1774) in an invaded system. *Hydrobiologia*: DOI: 10.1007/s107050-017-3136-0

✚ Bornarel V.; Lambert P.; Briand C.; Antunes C.; Belpaire C.; Ciccotti E.; Diaz E.; Diserud O.; Doherty D.; Domingos I.; Evans D.; de Graaf M.; O’Leary C.; Pedersen M.; Poole R.; Walker A.; Wickstöröm H.; Beaulaton L.; Drouineau H. (2017). Modelling the recruitment of European eel (*Anguilla Anguilla*) throughout its European range. ICES Journal of Marine Science: DOI: 10.1093/icesjms/fsx180

Baeta A.; Vieira L. R.; Lírio A. V.; Canhoto C.; Marques J.C.; Guilhermino L. (2017). Use of stable isotope ratios of fish larvae as indicators to assess diets and patterns of anthropogenic nitrogen pollution in estuarine ecosystems. Ecological 83:112-121

Laranjeiro F.; Beiras R.; Barroso C. (2017). The use of the biomarker imposex to assess the environmental status of aquatic ecosystems regarding tributyltin pollution. Ecological Indicators: doi.org/10.1016/j.ecolind.2017.21.004

Guilhermino L.; Vieira L. R.; Ribeiro D.; Tavares A. S.; Cardoso V.; Alves A.; Almeida J. M. (2017). Uptake and effects of the antimicrobial florfenicol, microplastics and their mixtures on freshwater exotic invasive bivalve *Corbicula fluminea*. Science of the Total Environment 622-623:1131-1142

Aguirre-Martínez G. V.; André C.; Gagné F.; Martín-Díaz L. M. (2017). The effects of human drugs in *Corbicula fluminea*. Assessment of neurotoxicity, inflammation, gametogenic activity, and energy status. Ecotoxicology and Environmental Safety 148:652-663

Cunha J.; Elliott M.; Ramos S. (2017). Linking modelling and empirical data to assess recreation services provided by coastal habitats: The case of NW Portugal. Ocean and Coastal Management 162:60-70

✚ Stratoudakis Y.; Oliveira P. B.; Teles-Machado A.; Oliveira J. M.; Correia M. J.; Antunes C. (2018). Glass eel (*Anguilla anguilla*) recruitment to the river Lis: Ingress dynamics in relation to oceanographic processes in the western Iberian margin and shelf. Fisheries Oceanography: DOI: 10.1111/fog.12274

Gouveia V.; Almeida C. M. R.; Almeida T.; Teixeira C.; Mucha A. P. (2018). Indigenous microbial communities along the NW Portuguese Coast: Potential for hydrocarbons degradation and relation with sediment contamination. Marine Pollution Bulletin 131:620-632

Santos A.; Fernandes M. R.; Aguiar F. C.; Branco M. R.; Ferreira M. T. (2018). Effects of riverine landscape changes on pollination services: A case study on the River Minho, Portugal. Ecological Indicators 89:656-666

Oliveira P.; Lírio A. V.; Canhoto C.; Guilhermino L. (2018). Toxicity of mercury and post-exposure recovery in *Corbicula fluminea*: Neurotoxicity, oxidative stress and oxygen consumption. ELSEVIER – Ecological Indicators 91:503-510

Ilarri M. I.; Amorim L.; Souza A. T.; Sousa R. (2018). Physical legacy of freshwater bivalves: Effects of habitat complexity on the taxonomical and functional diversity of invertebrates. ELSEVIER – Science of the Total Environment 634:1398-1405

Souza A. T.; Ilarri M. I.; Timóteo S.; Marques J. C.; Martins I. (2018). Assessing the effects of temperature and salinity oscillations on a key mesopredator fish from European coastal systems. *Science of the Total Environment* 640-641:1332-1345

Rubal M.; Costa-Garcia R.; Besteiro C.; Sousa-Pinto I.; Veiga P. (2018). Mollusc diversity associated with the non-indigenous macroalga *Asparagopsis armata* Harvey, 1855 along the Atlantic coast of the Iberian Peninsula. *ELSEVIER – Marine Environmental Research* 136:1-7

Lopes-Lima M.; Bolotov I. N.; Do V. T.; Aldridge D. C.; Fonseca M. M.; Gan H. M.; Gofarov M. Y.; Kondakov A. V.; Prié V.; Sousa R.; Varandas S.; Vikhrev I. V.; Teixeira A.; Wu. R.-W.; Wu X.; Zieritz A.; Froufe E.; Bogan A. E. (2018). Expansion and systematics redefinition of the most threatened freshwater mussel family, the Margaritiferidae. *ELSEVIER – Molecular Phylogenetics and Evolution* 127:98-118

Sánchez-Hernández J.; Vieira-Lanero R.; Barca S.; Silva S.; Lago L.; Gómez P.; Cobo M. C.; Cobo F. (2018). An update on the distribution of *Cobitis paludica* (de Buen, 1930) in the NW Iberian Peninsula. *Limnetica* 37(2):181-185

✚ Correia M. J.; Costa J. L.; Antunes C.; De Leo G.; Domingos I. (2018). The decline in recruitment of the European eel: new insights from a 40-year-long time-series in the Minho estuary (Portugal). *ICES Journal of Marine Science*: DOI: 10.1093/icesjms/fsy073

Des M.; deCastro M.; Sousa M. C.; Dias J. M.; Gómez-Gesteira M. (2018). Hydrodynamics of river plume intrusion into an adjacent estuary: The Minho River and Ria de Vigo. *Journal of Marine Systems* 189 (2019) 87-97

✚ Martins I.; Dias E.; Ilarri M. I.; Campuzano F. J.; Pinto L.; Santos M. M.; Antunes C. (2019). Antagonistic effects of multiple stressors on macroinvertebrate biomass from a temperature estuary (Minho estuary, NW Iberian Peninsula). *Ecological Indicators* 101:792-803

✚ Borges F. O.; Santos C. P.; Sampaio E.; Figueiredo C.; Paula J. R.; Antunes C.; Rosa R.; Grilo T. F. (2019). Ocean warming and acidification may challenge the riverward migration of glass eels. *Biology Letters* 15:20180627

✚ Modesto V.; Castro P.; Lopes-Lima M.; Antunes C.; Ilarri M.; Sousa R. (2019). Potential impacts of the invasive species of *Corbicula fluminea* on the survival of glochidia. *ELSEVIER – Science of the Total Environment* 673:157-164

Prego R.; Brito P.; Álvarez-Vázquez M. A.; Caetano M. (2019). Lanthanides and yttrium in the sediments of the lower Minho River (NW Iberian Peninsula): imprint of tributaries. *Journal of Soil and Sediments* 19:2558-2569

Iglesias I.; Avilez-Valente P.; Bio A.; Bastos L. (2019). Modelling the Main Hydrodynamic Patterns in Shallow Water Estuaries: The Minho Case Study. *Water* doi:10.3390/w11051040