

PUBLICAÇÕES EM REVISTAS CIENTÍFICAS E ACTAS DE CONGRESSOS SOBRE O RIO MINHO

 CO-AUTORIA DO AQUAMUSEU DO RIO MINHO

- Weber M. (1986). Fishing Method and Seasonal Occurrence of Glass eel (*Anguilla anguilla* L.) in the Rio Minho, West Coast of the Iberian Peninsula. *Vie Milieu*, 36(4):243-250.
- Antunes C, Weber M. (1990). Abundance and distribution of Eels (*Anguilla anguilla*) in the Rio Minho. *Int. Revue ges. Hydrobiol.*, 75:51-63.
- Araujo R, Moreno D, Ramos M A. (1993). The asiatic clam *Corbicula fluminea* (Müller, 1774) (Bivalvia: **Corbiculidae**) in Europe. *American Malacological Bulletin*, 10(1):39-49.
- Maze R A, Lastra M, Mora J. (1993). Macrozoobentos del estuario del Miño (NO de España). *Publ. Espec. Inst. Esp. Oceanogr.*, 11:283-290.
- Antunes C. (1994). The Seasonal Occurrence of Glass Eels (*Anguilla anguilla* L.) in the Rio Minho between 1991 and 1993 (North of Portugal). *Int. Revue Ges. Hydrobiol.*, 79:287-294.
- Antunes C, Weber M. (1996). The Glass Eel Fishery and The By-Catch in the Rio Minho After One Decade (1981-1982 and 1991-1992). *Archives of Polish Fisheries*, 4:131-139.
- Boaventura R, Pedro A M, Coimbra J, Lencastre E. (1997). Trout Farm Effluents: Characterization on the Receiving Streams. *Environmental Pollution*, 95(3):379-387.
- Fidalgo M L. (1998). Contribution to the ecological characterization of the River Minho estuary (Northern Portugal). *Verh.Internat. Verein. Limnol.*, 26:1448-1451.
- Iglésias A, Campos L, Viana J L, Fernandez A, Sanchez L. (1998). Estudio de la composición Corporal Del Cangrejo de Rio *Astropotamobius pallipes*. *Arch. Zootec.*, 47:473-477.
- Araujo R, Ramos M A, Molinet R. (1999). Growth Pattern and Dynamics of a Southern Perippheral Population of *Pisidium amnicum* (Müller, 1774) (Bivalvia: **Sphaeriidae**) in Spain. *Malacologia*, 41(1):119-137.
- Granja H M, Ribeiro I C, Soares de Carvalho G, Matias M S. (1999). Some Neotectonic Indicators in Quarternary Formations of the Northwest Coastal Zone of Portugal. *Phys. Chem. Earth, (A)* 24:323-336.
- (S/ Autores) (1999). Informe Preliminar sobre la Situación de la Madreperla de Rio (*Margaritifera margaritifera*) en España. Seminario sobre conservación de *Margaritifera margaritifera* y *Galemys pyrenaicus* en la Península Ibérica, 1-12.
- Almaça C, Elvira B. (2000). Past and present distribution of *Acipenser sturio* L., 1758 on the Iberian Peninsula. *Bol. Inst. Esp. Oceanogr.*, 16:1-4.
- Alves E, Santos M A. (2000). Recursos Hídricos Superficiais na bacia Hidrográfica do Rio Minho. 5º Congresso da Água: Água e o Desenvolvimento Sustentável, Desafios para o Novo Século. Associação Portuguesa dos Recursos Hídricos (APRH), 2-14.

Dias J A, Garcia C, Dias-Del-Rio V. (2000). Sediment Distribution Patterns on the Galicia-Minho Continental Shelf. 3rd Symposium on the Iberian Atlantic Margin. 219-220.

Dionisio L P C, M João, Ferreira V S, Fidalgo M L, Rosado M E G, Borrego J J. (2000). Occurrence of *Salmonella* spp in estuarine and coastal waters of Portugal. *Antonie van Leeuwenhoek*, 78:99-106.

Pinheiro A, Fidalgo L. (2000). Contribution for the study of bacterioplankton of the River Minho Estuary (Portugal). *Verh.Internat. Verein. Limnol.* 27:1890-1893.

✚ Antunes C. (2001). The "Aquamuseu" of the Minho River: a project for the Minho River Basin. *Bulletin de L'Institut Océanographique, Monaco*, 20:2.

Vasconcelos V, Cerqueira M. (2001). Phytoplankton Community of River Minho (international section). *Limnetica*, 20(1):135-141.

Araújo M F, Jouanneau J M, Valério P, Barbosa T, Gouveia A, Weber O, Oliveira A, Rodrigues A, Dias J M A. (2002). Geochemical tracers of northern Portuguese estuarine sediments on the shelf. *Progress in Oceanography*, 52:277-297.

Dias J M A, Jouanneau J M, Gonzalez R, Araújo M F, Drago T, Garcia C, Oliveira A, Rodrigues A, Vitorino J, Weber O. (2002). Present day sedimentary processes on the northern Iberian shelf. *Progress in Oceanography*, 52:249-259.

Dias J M A, Gonzalez R, Garcia C, Diaz-del-Rio V. (2002). Sediment distribution patterns on the Galicia-Minho Continental Shelf. *Progress in Oceanography*, 52:215-231.

Oliveira A, Rocha F, Rodrigues A, Jouanneau J, Dias A, Weber O, Gomes C. (2002). Clay minerals from the sedimentary cover from the Northwest Iberian Shelf. *Progress in Oceanography*, 52:233-247.

Antunes C, Correia A T. (2003). Sagitta microstructure of european conger eel, *Conger conger* (L.), leptocephali compared with leptocephali of the eel, *Anguilla anguilla* (L.). *Archive of Fishery and Marine Research*, 50(3):227-237.

Correia A T, Antunes C, Isidro E J, Coimbra J. (2003). Changes in otolith microstructure and microchemistry during larval development of the European conger eel (*Conger conger*). *Marine Biology*, 142:777-789.

Fatela F, Moreno J, Cascalho J, Silveira T, Fradique C, Drago T. (2003). Variação extrema da Salinidade: Uma Condicionante da Distribuição dos foraminíferos "vivos" no Estuário dos Rios Minho e Coura. VI Congresso Nacional de Geologia (2003), Ciências da Terra (UNL), Lisboa, Nº esp.V, A68-A71.

Lacorte S, Guillamón M, Martínez E, Viana P, Barcelo D. (2003). Occurrence and Specific Congener Profile of 40 Polybrominated Diphenyl Ethers in River and Coastal Sediments from Portugal. *Environ. Sci. Technol.*, 37:892-898.

Cairrão E, Couderchet M, Soares A M V M, Guilhermino L. (2004). Glutathione-S-transferase activity of *Fucus* spp. as a biomarker of environmental contamination. *Aquatic Toxicology*, 70:277-286.

Moreno F, Araújo M F, Moreno J, Fatela F, Drago T. (2004). Geoquímica de Sedimentos Fluvio-Estuarianos do Rio Minho: Avaliação Preliminar do actual Grau de Enriquecimento/Contaminação Por Metais. Congresso Internacional sobre o Rio Minho: Por Uma Nova Cultura da Água. Melgaço Maio. 001-15.

San Miguel E S, Monserrat S, Fernanández C, Amaro R, Hermida M, Ondina P, Altaba C R. (2004). Growth models and longevity of freshwater pearl mussels (*Margaritifera margaritifera*) in Spain. Can. J. Zool., 82:1370-1379.

Aguilar A, Álvarez M F, Leiro J M, Sanmartín M L. (2005). Parasite Populations of the European eel (*Anguilla anguilla* L.) in the Rivers Ulla and tea (Galicia, Northwest Spain). Aquaculture, 249:85-94.

Cunha I, Hoff P, Van de Vijver K, Guilhermino L, Esmans E, Wim C. (2005). Baseline Study of Perfluorooctane Sulfonate Occurrence in Mussels, *Mytilus galloprovincialis*, from North-central Portuguese Estuaries. Marine Pollution Bulletin, 50:1121-1145.

Díez S, Lacorte S, Viana P, Barceló D, Bayona J M. (2005). Survey of organotioin compounds in rivers and coastal environments in Portugal 1999-2000. Environmental Pollution, 136:525-536.

✚ Elumalai M, Antunes C, Guilhermino L. (2005). Alterations of Reproductive Parameters in the Crab, *Carcinus maenas*, after Exposure to Metals. Water, Air, and Soil Pollution. 160. 245-258.

Moreno J, Fatela F, Cascalho J, Moreno F, Drago T. (2005). Living Foraminiferal Assemblages from the Minho and Coura Estuaries (Northern Portugal): A Stressfull Environment. Thalassas, an International Journal of Marine Sciences, 21(1):17-28.

Moreno F, Moreno J, Fatela F, Valente T, Guise L, Araújo M F, Drago T. (2005). Geoquímica de Sedimentos em Ambientes Típicos de Sapal- O Exemplo do Sapal de Caminha (NW de Portugal). XIV Semana De Geoquímica dos Países de Língua Portuguesa. 661-664.

Moreno F, Araújo M. F, Moreno J, Fatela F, Drago T. (2005). Caracterização Geoquímica de sedimentos Superficiais do Estuário do Rio Minho e do Sapal de Caminha (NW de Portugal) - Estimativa do Potencial de Stress Biológico. XIV Semana de Geoquímica /VIII Congresso de Geoquímica dos Países de Língua Portuguesa. 675-678.

Moreno F, Araújo M F, Moreno J, Fatela F, Drago T. (s/data). Geoquímica de Sedimentos Fluvio-Estuarianos do Rio Minho: Avaliação Preliminar do Actual Grau de Enriquecimento/Contaminação por Metais, 15p.

Moreno J, Fatela F. (2005). Palaeoenvironmental Evolution over the last 10 Kyr BP at Caminha Tidal Marsh (NW of Portugal): Foraminiferal Evidences. Iberian Coastal Holocene Palaeoenvironmental Evolution, 94-96.

Monteiro M, Quintaneiro C, Morgado F, Soares A M V M, Guilhermino L. (2005). Characterization of the cholinesterases present in head tissues of the estuarine fish *Pomatoschistus microps*: Application to biomonitoring. Ecotoxicology and Environmental Safety, 62:341-347.

Moreira S M, Moreira-Santos M, Guilhermino L, Ribeiro R. (2005). A Short-Term Sublethal in situ Toxicity Assay with *Hediste diversicolor* (Polychaeta) for Estuarine Sediments Based on Postexposure Feeding, 24 (8):2010-2018.

Nunes B, Carvalho F, Guilhermino L. (2005). Acute toxicity of widely used pharmaceuticals in aquatic species: *Gambusia holbrooki*, *Artemia parthenogenetica* and *Tetraselmis chuii*. *Ecotoxicology and Environmental Safety*, 61:413-419.

Sousa P, Azevedo M, Gomes M C. (2005). Demersal assemblages off Portugal: Mapping, seasonal and temporal patterns. *Fisheries Research*, 75:120-137.

✚ Sousa R, Guilhermino L, Antunes C. (2005). Molluscan fauna in the freshwater tidal area of the River Minho estuary, NW of Iberian Peninsula. *Ann. Limnol. -Int. J. Limn.*, 41(2):141-147.

Anne, Fidalgo M L, Thosthrup L, Christoffersen K. (2006). Influence of Filtration and glucose amendment on bacterial growth rate at different tidal conditions in the Minho estuary River (NW Portugal). *Limnetica*. 25(3):637-646.

Bouza C, Castro J, Martinez P, Amaro R, Fernández C, Paz O, Outeiro A, San Miguel E. (2006). Threatened Freshwater Pearl Mussel *Margaritifera L.* in NW Spain. Low and Very Structured Genetic Variation in Southern Peripheral populations Assessed using Microsatellite Markers. *Conserv. Genet.*, 1-12.

Cabral J P. (2006). A Utilização de Conchas de Moluscos para o Fabrico de cal na ilha da ínsua (Noroeste de Portugal) no Século XV. 2º Congresso Ibérico de Ecologia, 18-21.

Castro M, Alvarez I, Varela M, Prego R, Gomes-Gesteira M. (2006). Miño River dams discharge on neighbor Galician Rias Baixas (NW Iberian Peninsula): Hydrological, chemical and biological changes in water column. *Estuarine, Coastal and Shelf Science*, 70:52-62.

✚ Correia A T, Antunes C, Wilson J M, Coimbra J. (2006). An evaluation of the otolith characteristics of *Conger conger* during metamorphosis. *Journal of Biology*. 68. 99-119.

✚ Correia A T, Faria R, Alexandrino P, Antunes C, Isidro E J, Coimbra J. (2006). Evidence for genetic differentiation in the European Conger eel, *Conger conger*, based on mitochondrial DNA Analysis. *Fisheries Science*. 72. 20-27.

Fatela F, Moreno J. (2006). Salinity dynamics and living Foraminifera assemblages at Caminha Tidal-Marsh (Northern Portugal). *Forum 2006-International Symposium Foraminifera*, Natal, Brasil Setembro 2006. 1.

Moreno J, Fatela F, Andrade C, Drago T. (2006). Distribution and new Ecological data of *Pseudothurammia limnetis* (Scott and Mediolli) on the Brackish Tidal Marshes of Minho/Coura estuary, Northern Portugal. *Revue de Micropaléontologie*, 49:45-53.

Almeida C, Serôdio P, Florêncio M H. (2007). New strategies to screen for endocrine-disrupting chemicals in the Portuguese marine environment utilizing large volume injection-capillary gas chromatography-mass spectrometry combined with retention time locking libraries (LVI-GC-MS-RTL). *Anal Bioanal Chem*. 387(7):2569-2583.

Cabral H N, Vasconcelos R, Vinagre C, França S, Fonseca V, Maia A, Reis-Santos P, Lopes M, Ruano M, Campos J, Freitas V, Santos P, Costa M J. (2007). Relative importance of estuarine flatfish nurseries along the Portuguese coast. *Journal of Sea Research*. 57:209-217.

- ✚ Fatela F, Moreno J, Antunes C. (2007). Salinity Influence on Foraminiferal Tidal Marsh Assemblages of NW Portugal: An Anthropogenic constraint. *Thalassas, International Journal of Marine Sciences*, 51-63.
- ✚ Wilson J M, Leitão A, Gonçalves A F, Ferreira C, Reis-Santos P, Fonseca A V, Silva J M, Antunes C, Pereira-Wilson C, Coimbra J. (2007). Modulation of branchial ion transport protein expression by salinity in glass eels (*Anguilla anguilla* L.). *Marine Biology*, 151(5):1633-1645.
- ✚ Wilson J M, Reis-Santos P, Fonseca A V, Antunes C, Bouça P D, Coimbra J. (2007). Seasonal changes in ionoregulatory variables of the glass eel *Anguilla anguilla* following estuarine entry: comparison with resident eelers. *Journal of Fish Biology*, 70:1239-1253.
- ✚ Sousa R, Antunes C, Guilhermino L. (2007). Species composition and monthly variation of the Molluscan fauna in the freshwater subtidal area of the River Minho estuary. *Estuarine, Coastal and Shelf Science*, 75:90-100.
- ✚ Sousa R, Freire R, Rufino M, Méndez J, Gaspar M, Antunes C, Guilhermino L. (2007). Genetic and shell morphological variability of the invasive bivalve *Corbicula fluminea* (Müller, 1774) in two Portuguese estuaries. *Estuarine Coastal and Shelf Science*, 74: 166-174.
- ✚ Sousa R, Antunes C, Guilhermino L. (2007). Species composition and monthly variation of the Molluscan fauna in the freshwater subtidal area of the River Minho estuary. *Estuarine, Coastal and Shelf Science*, 75:90-100.
- ✚ Sousa R, Sousa-Dias S, Guilhermino L, Antunes C. (2008). Minho River tidal freshwater Wetlands: threats to faunal biodiversity. *Aquatic Biology*, 3:237-250.
- ✚ Sousa R, Antunes C, Guilhermino L. (2008). Ecology of the invasive Asian clam *Corbicula fluminea* (Müller, 1774) in aquatic ecosystems: an overview. *Ann. Limnol. Int. J. Limnol.*, 44:85-94.
- ✚ Sousa R, Rufino M, Gaspar M, Antunes C, Guilhermino L. (2008). Abiotic impacts on spatial and temporal distribution of *Corbicula fluminea* (Müller, 1774) in the River Minho Estuary, Portugal. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 18:98-110.
- ✚ Sousa R, Nogueira A J A, Antunes C, Guilhermino L. (2008). Growth and production of *Pisidium amnicum* in the freshwater tidal area of the river Minho estuary. *Estuarine, Coastal and Shelf Science*, 79:467-474.
- ✚ Sousa R, Morais P, Antunes C, Guilhermino L. (2008). Factors affecting *Pisidium amnicum* (Müller, 1774; Bivalvia: **Sphaeriidae**) distribution in the River Minho estuary: Consequences for its Conservation. *Estuaries and Coasts*, 31:1198-1207.
- ✚ Sousa R, Nogueira A J A, Gaspar M B, Antunes C, Guilhermino L. (2008). Growth and extremely high production of the non-indigenous invasive species *Corbicula fluminea* (Müller, 1774): Possible implications for ecosystem functioning. *Estuarine Coastal and Shelf Science*, 80:289-295.
- ✚ Reis J L, Martinho A S, Pires-Silva A A, Silva A J. (2009) Assessing the Influence of the River Discharge on the Minho Estuary Tidal Regime, *Journal of Coastal Research, Special Issue*, 56, ISSN 0749-0258.

Cobo F. (2009). Estado de Conservación y pesquería da la lamprea de mar (*Petromyzon marinus*) en Galicia. Foro Ac. Rec. Mar. Rias Gal., 11:43-48.

Fatela F, Moreno J, Moreno F, Araújo M F, Valente T, Antunes C, Taborda R, Andrade C, Grade T. (2009). Environmental constraints of foraminiferal assemblages distribution across a brackish tidal marsh (Caminha, NW Portugal). Marine Micropaleontology, 70:70-88.

✚ Freitas V, Costa-Dias S, Campos J, Bio A, Santos P, Antunes C. (2009). Patterns in abundance and distribution of juvenile flounder, *Platichthys flesus*, in Minho estuary (NW Iberian Peninsula). Aquat. Ecol., 43(4): 1143-1153.

Guimarães L, Gravato C, Santos J, Monteiro L S, Guilhermino L. (2009). Yellow eel (*Anguilla anguilla*) development in NW Portuguese estuaries with different contamination levels. Ecotoxicology, 18:385-402.

✚ Reis P A, Antunes C, Almeida M R. (2009). Metal Levels in sediments from the Minho estuary salt marsh: a metal clean area. Environ. Monit. Assess., 159(1):191-205.

Rubal M, Guilhermino L, Matías H M.a (2009). Individual, population and community level effects of subtle anthropogenic contamination in estuarine meiobenthos. Environmental Pollution, 157:2751-2758.

Sousa R, Gutiérrez J L, Aldridge D C. (2009). Non-Indigenous invasive bivalves as ecosystem engineers. Biol. Invasions . 11. 2367-2385.

França S, Costa M J, Cabral H N. (2009). Assessing habitat specific fish assemblages in estuaries along the Portuguese Coast. Estuarine, Coastal and Shelf Science, 83: 1-12.

Cobo F, Vieira-Lanero R, Rego E, Servia M J. (2010). Temporal trends in non-indigenous freshwater species records the Iberian Peninsula. Biodivers. Conserv., 19:3471-3487.

✚ Costa-Dias S, Dias E, Lobón-Cervía J, Antunes C, J. Coimbra. (2010). Infection by *Anguillicoloides crassus* in a riverine stock of European eel, *Anguilla anguilla*. Fisheries Management and Ecology, 17:485-492.

✚ Costa-Dias S, Freitas V, Sousa R, Antunes C. (2010). Factors influencing epibenthic assemblages in the Minho Estuary (NW Iberian Peninsula). Marine Pollution Bulletin, 61:240-246.

Gravato C, Guimarães L, Santos J, Faria M, Alves A, Guilhermino L. (2010). Comparative study about the effects of pollution on glass and yellow eels (*Anguilla anguilla*) from the estuaries of Minho, Lima and Douro Rivers (NW Portugal). Ecotoxicology and Environmental Safety 73(4):524-533

✚ Iglesias T, Lobón-Cervía J, Costa-Dias S, Antunes C. (2010). Variation of life traits of glass eels of *Anguilla anguilla* (L.) during the colonization of Ríos Nalón and Minho estuaries (northwestern Iberian Peninsula). Hydrobiologia. 001-11.

Leorri E, Gehrels W R, Horton B P, Fatela F, Cearreta A. (2010). Distribution of foraminifera in salt marshes along the Atlantic coast of SW Europe: Tools to reconstruct past sea-level variations. Quaternary International, 221:104-115.

Dolbeth M, Martinho F, Freitas V, Costa-Dias S, Campos J, Pardal M A. (2010). Multi-year comparisons of fish recruitment, growth and production in two drought-affected Iberian estuaries. *Marine and Freshwater Research*, 61:1399-1415.

França S, Costa M J, Cabral H N. (2011). Inter-and- intra-estuarine fish assemblage variability patterns along the portuguese coast. *Estuarine, Coastal and shelf Science*, 91:262-271.

✚ Ilarri M, Antunes C, Guilhermino L, Sousa R. (2011). Massive mortality of the Asian clam *Corbicula fluminea* in a highly invaded area. *Biol. Invasions*. 13. 277-280.

✚ Morais P, Dias E, Babaluk J, Antunes C. (2011). The migration patterns of the European flounder *Platichthys flesus* (Linnaeus, 1758) (**Pleuronectidae**, Pisces) at the southern limit of its distribution range: Ecological implications and fishery management. *Journal of Sea Research*, 65:235-246.

✚ Mota M, Antunes C. (2011). First report on the status of Allis Shad (*Alosa alosa*) in the Minho River (Northwestern Iberian Peninsula). *Applied Ichthyology*, 27:56-59.

Souza A T, Ilarri M, Campos J, Marques J C, Martins I. (2011). Differences in the neighborhood: Structural variations in the carapace of shore crabs *Carcinus maenas* (Decapoda: **Portunidae**). *Estuarine, Coastal and shelf Science*, 95:424-430.

✚ Sousa R, Ilarri M, Souza A T, Antunes C, Guilhermino L. (2011). Rapid decline of the greater European peaclam at the periphery of its distribution. *Ann. Limnol. - Int. J. Limnol.*, 47:211-219.

Portela L I. (S/ data). Evolução Morfológica, Hidrodinâmica e Dinâmica Sedimentar do Estuário do Rio Minho. 3º Seminario sobre Gestão de Bacias Hidrográficas "Os estuários", Actas: 65-71.

De la Rosa J M, Araújo M F, González-Perez J A, González-Vila F J, Soares A M, Martins J M, Ieorri E, Corbett R, Fatela F. (2012). Organic matter sources for tidal marsh sediment over the past two millenia in the Minho River estuary (NW Iberian Peninsula). *Organic Geochemistry*. 53:16-24.

✚ Dias E, Morais P, Mardik L, Campos J, Antunes C. (2012). Natural born indicators: Great cormorant *Phalacrocorax carbo* (Aves: **Phalacrocoracidae**) as monitors of river discharge influence on estuarine ichthyofauna. *Journal of Sea Research*, 73:101-108.

Genner M J, Hillman R, Mchugh M, Hawkins S J, Lucas M C. (2012). Contrasting demographic histories of European and North American sea lamprey (*Petromyzon marinus*) populations inferred from mitochondrial DNA sequence variation. *Marine and Freshwater Research*, 63:827-833.

✚ Ilarri M, Freitas F, Costa-Dias S, Antunes C, Guilhermino L, Sousa R. (2012). Associate macrozoobenthos with the invasive Asian clam *Corbicula fluminea*. *Journal of Sea Research*, 72:113-120.

Sánchez-Hernández J, Servia M J, Vieira-Lanero R, Cobo F. (2012). Aplicación del análisis de los rasgos ecológicos ("traits") de las presas para el estudio del comportamiento alimentario en peces bentófagos: el ejemplo del espinoso (*Gasterosteus gymnurus* Cuvier, 1829). *Limnetica*, 59:59-76.

Sánchez-Hernández J, Servia M J, Vieira R, Barca-Bravo S, Cobo F. (2012). References data on the growth and population parameters of brown trout in siliceous rivers of Galicia (NW Spain). *Limnetica*, 31(2):273-288.

Sousa R, Varandas S, Cortes R, Teixeira A, Lopes-Lima M, Machado J, Guilhermino L. (2012). Massive die-offs freshwater bivalves as resource pulses. *Ann. Limnol. - Int.J. Lim.*, 48:105-112.

Viveen W, Braucher R, Bourlés D, Schoorl J M, Veldkamp A, Balen R T V, Wallinga J, Fernandez-Mosquera D, Vidal-Romani J R, Sanjurjo-Sanchez J. (2012). A 0, 65 Ma chronology and incision rate assessment of the NW Iberian Miño River terraces based on <sup>10</sup>Be and luminescence dating. *Global and Planetary Change*, 94-95:82-100.

Viveen W, Balen R T V, Schoorl J M, Veldkamp A, Temme A J A M, Vidal-Romani J R. (2012). Assessment of recent tectonic activity on the NW Iberian Atlantic margin by means of geomorphic indices and field studies of the Lower Miño River terraces. *Tectonophysics*, 13-30.

✚ Araújo M J, Novais D, Antunes C. (2013). Record of a newly metamorphosed anadromous sea lamprey (*Petromyzon marinus* Linnaeus, 1758) feeding on a freshwater fish. *Applied Ichthyology*, 29:1380-1381.

✚ Araújo M J, Reis P, Braga A C, Antunes C. (2013). Metal levels and accumulation patterns of sea lamprey ammocoetes (*Petromyzon marinus* Linnaeus, 1758) from a tidal freshwater habitat. *Ann. Limnol. - Int. J. Lim.*, 49:107-112.

✚ Araújo M J, Ozório R O A, Bessa R J B, Kijjoa A, Gonçalves J F M, Antunes C. (2013). Nutritional status of adult sea lamprey (*Petromyzon marinus* Linnaeus, 1758) during spawning migration in the Minho River, NW Iberian Peninsula. *Applied Ichthyology*, 1-7.

Bao M, Garci M E, J M Antonio, Pascual S. (2013). First report of *Anisakis simplex* (Nematoda, **Anisakidae**) in the sea lamprey (*Petromyzon marinus*). *Food Control*, 33:81-86.

Conde A, Novais J M, Domínguez J. (2013). Characterization of an estuarine environment by means of an index based on intertidal macrofauna. *Marine Pollution Bulletin*, 71:129-138.

Ferreira A F, Quintella B R, Maia C, Mateus C S, C M Alexandre, Capinha C, Almeida P R. (2013). Influence of macrohabitat preferences on the distribution of European brook and river lampreys: Implications for conservation and management. *Biological Conservation*, 159:175-186.

Santos S, Vilar V J P, Alves P, Boaventura R A R, Botelho C. (2013). Water quality in Minho/Miño River (Portugal/Spain). *Environmental Monitoring and Assessment*, 185:3269-3281.

✚ Sousa R, Freitas F E P, Mota M, Nogueira A J A, Antunes C. (2013). Invasive dynamics of the crayfish *Procambarus clarkii* (Girard, 1852) in the international section of the River Minho (NW of the Iberian Peninsula). *Aquatic Conservation: Marine and Freshwater Ecosystems*, 23:56-666.

Souza A T, Dias E, Nogueira A, Campos J, Marques J C, Martins I. (2013). Population ecology and habitat preferences of juvenile flounder *Platichthys flesus* (Actinopterygii: **Pleuronectidae**) in a temperate estuary. *Journal of Sea Research*, 1-10.



Sousa A T, Dias E, Campos J, Marques J C, Martins I. (2013). Structure, growth and production of a remarkably abundant population of the common goby, *Pomatoschistus microps* (Actinopterygii: **Gobiidae**). *Environ Biol. Fish.*,1-15.

Viveen W, Schoorl J M, Veldkamp A, Balen R T V, Desprat S, Romani J R V. (2013). Reconstructing the interacting effects of base level, climate, and tectonic uplift in the lower Miño River terrace record: a gradient modelling evaluation. *Geomorphology*, 1-23.

Garcia M, Horlings L, Swagemakers P, Fernández X. (2013) Place branding and endogenous rural development. Departure points for developing an inner brand of the River Minho estuary. *Macmillan Publishers Ltd. Vol. 9,2*, 124-140

✚ Dias E, Morais P, Antunes C, Hoffman J C. (2014). Linking terrestrial and benthic estuarine ecosystems: organic matter sources supporting the high secondary production of a non-indigenous bivalve. *Biol. Invasions*, 1-17.

✚ Mota M, Sousa R, Araújo J, Braga C, Antunes C. (2014). Ecology and conservation of freshwater fish: time to act for a more effective management. *Ecology of Freshwater Fish*, 111-113.

✚ Mota M, Sousa R, Bio A, Araujo J, Braga C, Antunes C. (2014). Seasonal changes in fish assemblages in the river Minho tidal freshwater wetlands, NW of the Iberian Peninsula. *Ann. Limnol. -int. J. Lim.*, 50:185-198.

Silva S, Araújo M J, Bao M, Mucientes G, Cobo F. (2014). The haematophagous feeding stage of anadromous populations of sea lamprey *Petromyzon marinus*: low host selectivity and wide range of habitats. *Hydrobiologia*, 1-14.

Sousa M C, Mendes R, Alvarez I, Vaz N, Gomes-Gesteira M, Dias J M. (2014). Unusual Circulation Patterns of the Rias Baixas Induced by Minho Freshwater Intrusion (NW of the Iberian Peninsula). *Plos/one*. 9. 001-009.

Viveen W, Sanjurjo-Sanchez J, Goy-Diz A, Veldkamp A, Schoorl J M. (2014). Paleofloods and ancient fishing weirs in NW Iberian rivers. *Quaternary Research*, 1-10.

Ribeiro D C, Costa S, Guilhermino L. (2015) A framework to assess the vulnerability of estuarine systems for use in ecological risk assessment, *Ocean & Coastal Management*, doi.org/10.1016/j.ocecoaman.2015.05.022.

Novais A, Dias E, Sousa R. (2015) Inter- and intraspecific variation of carbon and nitrogen stable isotope ratios in freshwater bivalves. DOI: 10.1007/s10750-015-2408-9

Salgueiro-Gonzalez N, Turnes-Carou L, Besada V, Muniategui-Lorenzo S, Lopez-Mahía P, Prada-Rodriguez D. (2015) Occurrence, distribution and bioaccumulation of endocrine disrupting compounds in water, sediment and biota samples from a European river basin. *Science of the Total Environment*. 529: 121-130. doi.org/10.1016/j.scitotenv.2015.05.048

Chainho P, Fernandes A, Amorim A, Àvila S, Canning-Clode J, Castro J, Costa A, Costa J, Cruz T, Gollasch S, Graziotin-Soares C, Melo R, Micael J, Parente M, Semedo J, Silva T, Sobral D, Sousa M, Torres P, Veloso V, Costa M. (2015) Non-indigenous species in Portuguese coastal areas, coastal lagoons, estuaries and islands. *Estuarine, Coastal and Shelf Science*. 1-13. doi.org/10.1016/j.ecss.2015.06.019

Ilari M, L Souza A T, Modesto V, Guilhermino L, Sousa R. (2015). Differences in the macrozoobenthic fauna colonising empty bivalve shells before and after invasion by *Corbicula fluminea*. *Marine and Freshwater Research*, 66(6):1-10.

- ✚ Martin J, Rougemont Q, Drouineau H, Launey S, Jatteau P, Bareille G, Pécheyran C, Feunteun E, Roques S, Clavé D, Nachón D, Antunes C, Mota M, Réveillac E, Daverat F. (2015). Dispersal capacities of anadromous allis shad population inferred from a coupled genetic and otolith approach. *Can. J. Fish. Aquat. Sci.*, 72(7):1-51.

Novais A, Souza A T, Ilarri M, Pascoal C, Sousa R. (2015). From water to land: How an invasive clam may function as resource pulse to terrestrial invertebrates. *Science of the Total Environment*, 538:664-671. doi.org/10.1016/j.scitotenv.2015.08.106

Novais A, Souza A T, Ilarri M, Pascoal C, Sousa R. (2015). Facilitation in the low intertidal: effects of on invasive species on the structure of an estuarine macrozoobenthic assemblage. *Marine Ecology Progress Series*, 522:157-167. Doi:10.3354/meps11168.

Vieira L R, Guilhermino L, Morgado F. (2015). Zooplankton structure and dynamics in two estuaries from the Atlantic coast in relation to multi-stressors exposure. *Estuarine, Coastal and Shelf Science*, 167: 347-367. doi.org/10.1016/j.acss.2015.10.012

- ✚ Ilarri M I, Souza A T, Sousa R. (2015). Contrasting decay rates of freshwater bivalves shells: Aquatic versus terrestrial habitats. *Limnologia*, 51: 8-14. doi.org/10.1016/j.limno.2014.10.002

- ✚ Ferreira-Martins D, Coimbra J, Antunes C, Wilson JM. (2015). Effects of salinity on upstream-migrating, spawning sea lamprey, *Petromyzon marinus*. *Conservation Physiology* 4: doi: 10.1093/conphys/cov064

- ✚ Araújo M, Silva S, Stratoudakis Y, Gonçalves M, Lopez R, Carneiro M, Martins R, Cobo F, Antunes C. (2015). Sea Lamprey Fisheries in the Iberian Peninsula. In *Jawless Fishes of the World*. Orlov A. M. & Beamish R. (ed.), Cambridge Scholars Publishing, pp 115-148.

- ✚ Mota M, Bio A, Bao M, Pascual S, Rochard E, Antunes C. (2015). New insights into biology and ecology of the Minho river Allis shad (*Alosa alosa* L.): contribution to the conservation of the last European Shad populations. *Rev. Fish Biol Fisheries*, 25(2): 1-18

- ✚ Bao M, Mota M, Nachón D J, Antunes C, Cobo F, Garci M E, Pierce G J, Pascual S. (2015). Anisakis infection in allis shad, *Alosa alosa* (Linnaeus, 1758), and twaite shad, *Alosa fallax* (Lacépède, 1803) from Western Iberian Peninsula Rivers: Zoonotic and ecological implications. *Parasitol. Res.*, 114(6):2143-2154

- ✚ Nachón D J, Mota M, Antunes C, Servia M J, Cobo F. (2015). Marine and continental distribution and dynamic of the early spawning migration of twaite shad, *Alosa fallax* (Lacépède, 1803), and allis shad, *Alosa alosa* (Linnaeus, 1758), in the Northwest of the Iberian Peninsula. *Marine and Freshwater Research*. DOI:10.1071/MF14243

- ✚ Bao M, Roura A, Mota M, Nachón D J, Antunes C, Cobo F, MacKenzie K, Pascual S. (2015). Macroparasites of allis shad, *Alosa alosa* (Linnaeus, 1758), and twaite shad, *Alosa fallax* (Lacépède, 1803) of the Western Iberian Peninsula Rivers: ecological, phylogenetic and zoonotic insights. *Parasitology Research*. DOI 10.1007/s00436-015-4601-1.

Rodriguez N, Sousa R, Pardo I. (2016) Negative effects of *Corbicula fluminea* over native freshwater mussels. CrossMark. Doi 10.1007/s10750-016-3059-1

Capela R, Raimundo J, Santos M M, Caetano M, Micaelo C, Vale C, Guimarães L, Reis-Henriques M A. (2016). The use of biomarkers as integrative tools for transitional water bodies monitoring in the Water Framework Directive context – A holistic approach in Minho river transitional waters. *Science of the Total Environment* 539:85-96. doi.org/10.1016/j.scitotenv.2015.08.113

✚ Stratoudakis Y, Mateus C S, Quintella B R, Antunes C, Almeida P R. (2016). Exploited anadromous fish in Portugal: Suggested direction for conservation and management. *Marine Policy* 73:92-99. doi.org/10.1016/j.marpol.2016.07.031

Mendes R, Sousa M, Castro M, Gómez-Gesteira, Dias J M. (2016). New insights into the Western Iberian Buoyant Plume: Interaction between the Douro and Minho River plumes under winter conditions. *Progress in Oceanography* 141:30-43. doi.org/10.1016/j.pocean.2015.11.006

Antunes C, Cobo F, Araújo M J. (2016). Iberian Inland Fisheries. In *Freshwater Fisheries Ecology*. John F. Craig (ed.), John Wiley & Sons Inc., pp 268-282.

Novais A, Souza A, Ilarri M, Pascoal C, Sousa R. (2016) Effects of the invasive clam *Corbicula fluminea* (Muller, 1774) on an estuarine microbial community. *Science of the Total Environment*. 566-567:1168-1175. doi.org/10.1016/j.scitotenv.2016.05.167

Caetano M, Raimundo J, Nogueira M, Santos M, Mil-Homens M, Prego R, Vale C. (2016), Defining benchmark values for nutrients under the Water Framework Directive: Application in twelve Portuguese estuaries. *Marine Chemistry*, 27-37, doi.org/10.1016/j.marchem.2016.05.002

França S, Cabral H N. (2016) Predicting fish species distribution in estuaries: Influence of species ecology in model accuracy. *Estuarine, Coastal and Shelf Science*. 11-20; doi.org/10.1016/j.ecss.2016.06.010.

✚ Ferreira-Rodríguez N, Prado I. (2017). The interactive effects of temperature, trophic status, and the presence of an exotic clam on the performance of a native freshwater mussel. *Hydrobiologia*: DOI: 10.1007/s10750-017-3170-y

✚ Castro P S, Ilarri M I, Modesto V, Antunes C, Sousa R. (2017). Palatability of the Asian clam *Corbicula fluminea* (Müller 1774) in an invaded system. *Hydrobiologia*: DOI: 10.1007/s107050-017-3136-0

Moreno J, Fatela F, Leorri E, Moreno F, Freitas M C, Valente T, Araújo M F, Gómez-Navarro J J, Guise L, Blake W.H. (2017). Bromine soil/sediment enrichment in tidal salt marshes as a potential indicator of climate changes driven by solar activity: New insights from W coast Portuguese estuaries. *Science of the Total Environment* 580:324-338. doi.org/10.1016/j.scitotenv.2016.11.130

✚ Bornarel V, Lambert P, Briand C, Antunes C, Belpaire C, Ciccotti E, Diaz E, Diserud O, Doherty D, Domingos I, Evans D, de Graaf M, O'Leary C, Pedersen M, Poole R, Walker A, Wickstöröm H, Beaulaton L, Drouineau H. (2017). Modelling the recruitment of European eel (*Anguilla Anguilla*) throughout its European range. *ICES Journal of Marine Science*: DOI: 10.1093/icesjms/fsx180

Baeta A, Vieira L R, Lírio A V, Canhoto C, Marques J C, Guilhermino L. (2017). Use of stable isotope ratios of fish larvae as indicators to assess diets and patterns of anthropogenic nitrogen pollution in estuarine ecosystems. *Ecological Indicators* 83:112-121. doi.org/10.1016/j.ecolind.2017.07.062

Garcia-Álvarez J, Puente-Lozano P. (2017). A controversial natural border: The making of Spanish-Portuguese boundary along the Minho River (1855-1866). *Geoforum* 79:5-16. doi.org/10.1016/j.geoforum.2016.11.015.

Abrantes F, Rodrigues T, Rufino M, Salgueiro E, Oliveira D, Gomes S, Oliveira P, Costa A, Mil-Homens, M.; Drago, T.; Naughton, F.; (2017). Historical Climate off the Atlantic Iberian Peninsula, CLIMATE of The Past, doi:10.5194/cp-2017-39.

Ramos-Merchante A, Prenda J, (2018) The ecological and Conservation Status of The Guadalquivir River Basin (Spain) Through the Application of A Fish-based Multimetric Index. ELSEVIER, *Ecological Indicators*, doi.org/10.1016/j.ecolind.2017.08.034.

Laranjeiro F, Beiras R, Barroso C. (2018). The use of the biomarker imposex to assess the environmental status of aquatic ecosystems regarding tributyltin pollution. *Ecological Indicators*: doi.org/10.1016/j.ecolind.201721.004

✚ Stratoudakis Y, Oliveira P B, Teles-Machado A, Oliveira J M, Correia M J, Antunes C. (2018). Glass eel (*Anguilla anguilla*) recruitment to the river Lis: Ingress dynamics in relation to oceanographic processes in the western Iberian margin and shelf. *Fisheries Oceanography*: DOI: 10.1111/fog.12274

Gouveia V, Almeida C M R, Almeida T, Teixeira C, Mucha A P. (2018). Indigenous microbial communities along the NW Portuguese Coast: Potential for hydrocarbons degradation and relation with sediment contamination. *Marine Pollution Bulletin* 131:620-632. doi.org/10.1016/j.marpolbul.2018.04.063

Santos A, Fernandes M R, Aguiar F C, Branco M R, Ferreira M T. (2018). Effects of riverine landscape changes on pollination services: A case study on the River Minho, Portugal. *Ecological Indicators* 89:656-666. doi.org/10.1016/j.ecolind.2018.02.036

Laranjeiro F, Beiras R, Barroso C. (2018). The use of the biomarker imposex to assess the environmental status of aquatic ecosystems regarding tributyltin pollution. *Ecological Indicators* 95:1068-1076. doi.org/10.1016.j.ecolind.2017.12.004

Oliveira P, Lírio A V, Canhoto C, Guilhermino L. (2018). Toxicity of mercury and post-exposure recovery in *Corbicula fluminea*: Neurotoxicity, oxidative stress and oxygen consumption. *Ecological Indicators* 91:503-510. doi.org/10.1016/j.ecolind.2018.04.028

Guilhermino L, Vieira L, Ribeiro D, Tavares A, Cardoso V, Alves A, Almeida J. (2018) Uptake and effects of the antimicrobial florfenicol, microplastics and their mixtures on freshwater exotic invasive bivalve *Corbicula fluminea*. *Science of the total environment* 622-623 / 1131-1142. doi.org/10.1016/j.scitotenv.2017.12.020

Ilarri M I, Amorim L, Souza A T, Sousa R. (2018). Physical legacy of freshwater bivalves: Effects of habitat complexity on the taxonomical and functional diversity of invertebrates. *Science of the Total Environment* 634:1398-1405. doi.org/10.1016/j.scitotenv.2018.04.070

Neves V, Silva D, Martinho F, Antunes C, Ramos S, Freitas V. (2018) Assessing the effects of internal and external acousting tagging methods on European flounder *Platichthys flesus*. *Fisheries Research*. 206: 202-208. doi.org/10.1016/j.fishers.2018.05.015

Rubal M, Costa-Garcia R, Besteiro C, Sousa-Pinto I, Veiga P. (2018). Mollusc diversity associated with the non-indigenous macroalga *Asparagopsis armata* Harvey, 1855 along the Atlantic coast of the Iberian Peninsula. *Marine Environmental Research* 136:1-7. doi.org/10.1016/j.marenvres.2018.02.025

Lopes-Lima M, Bolotov I N, Do V T, Aldridge D C, Fonseca M M, Gan H M, Gofarov M Y, Kondakov A V, Prié V, Sousa R, Varandas S, Vikhrev I V, Teixeira A, Wu R-W, Wu X, Zieritz A, Froufe E, Bogan A E. (2018). Expansion and systematics redefinition of the most threatened freshwater mussel family, the Margaritiferidae. *Molecular Phylogenetics and Evolution* 127:98-118. doi.org/10.1016/j.ympev.2018.04.041

Aguirre Martinez, André C, Gagné F, Martin-Dias L M. (2018) The effects of human drugs in *Corbicula fluminea*: Assessment of neurotoxicity, inflammation, gametogenic activity, and energy status (2018). *Ecotoxicology and Environmental Safety* 148:652-663. doi.org/10.1016/j.ecoenv.2017.09.042

Sánchez-Hernández J, Vieira-Lanero R, Barca S, Silva S, Lago L, Gómez P, Cobo M C, Cobo F. (2018). An update on the distribution of *Cobitis paludica* (de Buen, 1930) in the NW Iberian Peninsula. *Limnetica* 37(2):181-185

✚ Rocha S, Azevedo C, Oliveira E, Alves A, Antunes C, Rodrigues P, Casal G. (2018) Phylogeny and comprehensive revision of mugiliform-infecting myxobolids (Myxozoa, Myxobolidae), with the morphological and molecular redescription of the cryptic species *Myxobolus exiguus*. CAMBRIDGE UNIVERSITY PRESS; 1-18; doi.org/10.1017/S0031182018001671

✚ Cunha J, Elliott M, Ramos S. (2018). Linking modelling and empirical data to assess recreation services provided by coastal habitats: The case of NW Portugal. *Ocean and Coastal Management* 162:60-70. doi.org/10.1016/j.ocecoaman.2017.12.022

✚ Borges F O, Santos C P, Sampaio E, Figueiredo C, Paula J R, Antunes C, Rosa R, Grilo T F. (2018). Ocean warming and acidification may challenge the riverward migration of glass eels. *Biology Letters* 15:20180627

✚ Correia M J, Costa J L, Antunes C, De Leo G, Domingos I. (2018). The decline in recruitment of the European eel: new insights from a 40-year-long time-series in the Minho estuary (Portugal). *ICES Journal of Marine Science*: DOI: 10.1093/icesjms/fsy073

Bebianno M, Guerreiro J, Carvalho T, Gameiro M. (2018) *Desenvolvimento Sustentável do Oceano: Uma Utopia Útil*. Universidade do Algarve; ISBN: 978-989-8859-27-3. (189-213)

Ferreira-Rodriguez N, Fandiño L, Pedreira A, Pardo I, (2018) First evidence of asymmetric competition between the non-native clam *Corbicula fluminea* and the native freshwater mussel *Unio Delphinus* during a summer heat wave; WILEY, 1-9, DOI: 10.1002/aqc.2964.

Iglesias I, Avilez-Valente P, Bio A, Bastos L (2019). Modelling the Main Hydrodynamic Patterns in Shallow Water Estuaries: The Minho Case Study. *Water*. 1-25. doi:10.3390/w11051040.

✚ Martins I, Dias E, Ilarri I, Campuzano J, Pinto L, Santos M, Antunes C. (2019) Antagonistic effects of multiple stressors on macroinvertebrate biomass from a temperate estuary (Minho estuary, NW Iberian Peninsula). *Ecological Indicators*. 101: 792-803. doi.org/10.1016/j.ecolind.2019.01.065

Santos C, Jesus T, Fernandes C, Robalo J, Coelho M. (2019) Fish diversification at the pace of geomorphological changes: evolutionary history of western Iberian Leuciscinae (Teleostei: Leuciscidae) inferred from multilocus sequence data. *Molecular Phylogenetics and Evolution*. 133: 263-285. doi. Org/10.1016/j.ympev.2018.12.020

Moreno J, Fatela F, Leorri E, Moreno F, Gonçalves M, Gómez-Navarro J, Araújo M, Freitas M, Trigo R, Blake W. (2019) Foraminiferal evidence of major environmental changes driven by the sun-climate coupling in the western Portuguese coast (14<sup>th</sup> century to present). *Estuarine, Coastal and Shelf Science*. 218: 106-118. doi.org/10.1016/j.ecss.2018.11.030

✚ Modesto V, Castro P, Lopes-Lima M, Antunes C, Ilarri M, Sousa R. (2019). Potential impacts of the invasive species of *Corbicula fluminea* on the survival of glochidia. *Science of the Total Environment* 673:157-164

Des M, Castro M, Sousa M, Dias J, Gómez-Gesteira M. (2019) Hydrodynamics of the river plume intrusion into an adjacent estuary: The Minho River and Ria de Vigo. *Journal of Marine Systems*. 189: 87-97. doi.org/10.1016/j.jmarsys.2018.10.003

Prego R, Brito P, Vazquez M, Caetano M. (2019) Lanthanides and yttrium in the sediments of the lower Minho River (NW Iberian Peninsula): imprint of tributaries. *Journal of Soils and Sediments*: 19: 2558-2569. doi.org/10.1007/s11368-019-02271-0

✚ Dias E, Miranda M, Sousa R, Antunes C. (2019) Riparian vegetation subsidizes sea lamprey ammocoetes in a nursery area. *Aquatic Sciences*. 1-13. doi.org/10.1007/s00027-019-0641-4

Rodrigues S, Almeida C, Silva D, Cunha J, Antunes C, Freitas V, Ramos S. (2019) Microplastic contamination in an urban estuary: Abundance and distribution of microplastics and fish larvae in the Douro estuary. – *Science of the Total Environment*. 659: 1071-1081. Doi.org/10.1016/j.scitotenv.2018.12.273

✚ Rocha S, Alves A, Fernandes P, Antunes C, Azevedo C, Casal G. (2019) New actinosporean description prompts union of the raabeia and echinactinomyxon collective groups (Cnidaria, Myxozoa): *Diseases of Aquatic Organisms* VOL: 135/ 175-191. doi.org/10.3354/dao03389

✚ Rocha S, Alves A, Antunes C, Azevedo C, Casal G. (2019) Molecular data infers the involvement of a marine aurantiactinomyxon in the life cycle of the myxosporean parasite *Paramyxidium giardia* (Cnidaria, Myxozoa). CAMBRIDGE UNIVERSITY PRESS; 1-9; doi.org/10.1017/S0031182019000866

✚ Rocha S, Azevedo C, Alves A, Antunes C, Casal G. (2019) Morphological and molecular characterization of myxobolids (Cnidaria, Myxozoa) infecting cypriniforms (Actinopterygii, Teleostei) endemic to the Iberian Peninsula. *PARASITE*: 1-16; doi.org/10.1051/parasite/2019049

Braga H, Pereira M, Morgado F, Soares A, Azeiteiro U. (2019) Ethnozoological knowledge of traditional fishing villages about the anadromous sea lamprey (*Petromyzon marinus*) in the Minho River, Portugal. *Journal of Ethnobiology and Ethnomedicine*. 1-17; doi.org/10.1186/s13002-019-0345-9

✚ Wilson K, Veneranta L. (2019) Data-limited diadromous species-review of European status. doi.org/10.17895/ices.pub.5253

✚ Dias E, Barros A, Hoffman J, Antunes C, Morais P. (2020). Habitat use and food sources of European flounder larvae (*Platichthys flesus* L., 1758) across the Minho River estuary salinity gradient (NW Iberian Peninsula), – *Regional Studies in Marine Science* 34:101/196. doi.org/10.1016/j.rsma.2020.101196

Moreno F, Moreno J, Fatela F, Guise L, Vieira C, Leiria M. (2020). Bromine biogeodynamics in the NE Atlantic: A perspective from natural wetlands of western Portugal, – *Science of the Total Environment*, 722:1-10. doi.org/10.1016/j.scitotenv.2020.137649

Santos P, Pereira S, Zêzere J, Tavares A, Reis E, Garcia R, Oliveira S. (2020). A comprehensive approach to understanding flood risk drivers at the municipal level, *Journal of Environmental Management*, 260: 1-15. doi.org/10.1016/j.jenvman.2020.110127

Flávio H, Caballero P, Jepsen N, Aarestrup K. (2020). Atlantic salmon living on the edge: Smolt behavior and survival during seaward migration in River Minho; *Ecology of FRESHWATER FISH*. DOI: 10.1111/eff.12564.

Braga H, Pereira M, Fernandes J, Morgado F, Soares A, Azeiteiro U. (2020). The role of local ecological knowledge for the conservation and sustainable fisheries of the sea lamprey *Petromyzon marinus* Linnaeus, 1758) in the Iberian Peninsula – *Ocean and Coastal Management*, 198:1-13. doi.org/10.1016/j.ocecoaman.2020.105345

Sousa J, Barbosa M, Ribeiro A, Ratola N, Pereira M, Silva A. (2020). Distribution of micropollutants in estuarine and sea water along the Portuguese coast – *Marine Pollution Bulletin* 154: 1-8. doi.org/10.1016/j.marpolbul.2020.111120

Perea S, Santos C, Robalo J, Doadrio I. (2020). Multilocus phylogeny and systematics of the Iberian endemic *Squalius* (Actinopterygii, Leuciscidae) [www.researchgate.net/publication/340937198](http://www.researchgate.net/publication/340937198)

✚ Rocha S, Alves A, Antunes C, Fernandes P, Azevedo C, Casal G. (2020). Characterisation of sphaeratinomyxon types (Cnidaria: Myxozoa) from marine and freshwater oligochaetes in a Portuguese estuary, with the demise of the endocapsa collective group. *FOLIA PARASITOLOGICA*, 1-13; doi: 10.14411/fp.2020.002

Quintas E, Santoja M, González A, Arnold L, Demuro M, Duval M. (2020). A multidisciplinary overview of the lower Miño River terrace system (NW Iberian Peninsula): A response to comments by Viveen et al. – *Quaternary International*, 565:129-135.

doi.org/10.1016/j.quaint.2020.09.037

Quintas E, Santoja M, González A, Arnold L, Demuro M, Duval M. (2020). A multidisciplinary overview of the lower Miño River terrace system (NW Iberian Peninsula) –Quaternary International, 565-567: 55-77. doi.org/10.1016/j.quaint.2020.04.022

Díaz H, Rodrigues J, Soares C. (2020). Preliminary assessment of a tidal test site on the Minho estuary. Renewable Energy, 158: 642-655. doi.org/10.1016/j.renene.2020.05.072

Campos J Moreira C, Costa-Dias S, Ferreira E, Matos A, Vasconcelos V, Antunes A. (2020). Polymerase chain reaction as a promising tool for DNA-based diet studies of crustaceans. Regional Studies in Marine Science, 37: 1-9. doi.org/10.1016/j.rsma.2020.101340

Rocha A, Teixeira C, Almeida C, Basto M, Reis-Henriques M, Ferreira M, Guimarães L. (2021). Assessing contamination from maritime trade and transportation on Iberian waters: Impact on *Mytilus* sp. Ecological Indicators, 121: 1-10. doi.org/10.1016/j.ecolind.2020.107031

Cordeiro N, Nolasco R, Barton E, Dubert J. (2021). Fixed-point time series, repeat survey and high-resolution modeling reveal event scale responses of the Northwestern Iberian upwelling. Progress in Oceanography, 190: 1-16. doi.org/10.1016/j.pocean.2020.102480

Rocha A, Teixeira C, Almeida C, Basto M, Reis-Henriques M, Guimarães L, Ferreira M. (2021). Assessing contamination from maritime trade and transportation on Iberian waters: Impact on *Platichthys flesus*. Environmental and Sustainability Indicators 9: 1-10. doi.org/10.1016/j.indic.2020.100098

Carretero O, Gago J, Viñas L. (2021). From the coast to the shelf: Microplastics in Rías Baixas and Miño River shelf sediments (NW Spain). Marine Pollution Bulletin, 162: 1-7. doi.org/10.1016/j.marpolbul.2020.111814

✚ Drouineau H, Vanacker M, Diaz E, Mateo M, Korta M, Antunes C, Delgado C, Domingos I, Zamora L, Beaulaton L, Lambert P, Briand C. (2021). Incorporating Stakeholder Knowledge into a complex Stock Assessment Model: The Case of Eel Recruitment. WATER, doi.org/10.3390/w13091136.

✚ Gomes N, Costa D, Cantallo H, Ribeiro T, Antunes C. (2021) Isopods (Crustacea, Malacostraca) from International Minho River, Iberian Peninsula. Oceanography & Fisheries Open access Journal, 13(4): OFOAJ.MS.ID.555866

✚ Lages A, Costa D, Gomes N, Antunes C. (2021) Exotic Pumpkinseed Sunfish *Lepomis gibbosus* (Linnaeus,1758) in the International Minho River (Iberian Peninsula), and Parasitic Association with *Myzobdella lugubris* Leidy, 1851 (Annelida, Hirudinea). Oceanography & Fisheries, Open access Journal; ISSN: 2476-0536.

França S, Fonseca V, Tanner S, Vasconcelos R, Reis-Santos P, Maia A, Ruano M, Cardoso I, Henriques S, Pais M, Brandão P, Brito A, Castellanos P, Chainho P, Quintella B, Costa L, Costa M, Costa J, Cabral H. (2021) Historical Data in the CoastNet Geoportal: Documenting Fish Assemblages in Portuguese Estuaries. Frontiers in Marine Science, doi:10.3389/fmars.2021.685294.



✚ Guilhermino L, Martins A, Lopes C, Raimundo J, Vieira L R, Barboza L, Costa J, Antunes C, Caetano M, Vale C. (2021). Microplastics in fishes from na estuary (Minho River) ending into the NE Atlantic Ocean. *Marine Pollution Bulletin*, 173:1-16. doi.org/10.1016/j.marpolbul.2021.113008

Oliveira V H, Sousa M, Picado A, Mendes R, Ribeiro A, Morgado F, Dias J. (2021). Coupled modeling of the interaction between dissolved substances emitted by Minho and Lima estuarine outflows (Portugal). *Journal of Marine Systems*, 222 (2021) 103601. doi.org/10.1016/j.marsys.2021.103601

Braga H, Bender M, Oliveira H, Pereira M, Azeiteiro U. (2021) Fisher's knowledge on historical changes and conservation of Allis shas-*Alosa alosa* (Linnaeus, 1758) in River Minho, Iberian Peninsula. *Regional Studies in Marine Science* 49 (2022) 102094. doi.org/10.16/j.rsma.2021.102094

Antognazza C, Sabatino S J, Britton R, Hillman R, Aprahamian M, Hardoui E, Andreou D. (2021) Hibridization and genetic population structure of *Alosa* population in the United Kingdom, *Journal of Fish Biology*: 1-6. doi.org/10.1111/jfb.14917

Sabatino S, Faria R, Alexandrino P B. (2021) Genetic structure, diversity, and connectivity in anadromus and freshwater *Alosa alosa* and *A. fallax*. *Marine Biology*:1-14. doi.org/10.1007/s00227-021-03970-4

Barca S, Lanero R V, Nachón D J, Hernández J S, Cobo M C, Cobo F. (2021) Complexity of the Relationship between Environment Factors, Interspecific Competition, and Intrinsic Traits of the Species in Explaining the Invasive Success of *Gobio lozanoi* Doadrio & Madeira, 2004. *Water*: 1-13. doi.org/10.3390/w13213043

Gomes N, Costa D A, Cantallo H, Antunes C. (2021) Crustaceans (Malacostraca and Thecostraca) from the International Minho River, Iberian Peninsula. *Hidrobiology*, 47-75. doi.org/10.3390/hydrobiology1010005

Carvalho S C, Braga H O, Santa-Maria S, Fonte B, Pereira M J, Garcia-Vinuesa A, Azeiteiro U M. (2021) An environmental education and communication project on migratory fishes and fishing communities. *Education Sciences*, 1-18, doi.org/10.3390/educsci11070337

Martins I, Guerra A, Constantino E, Ilarri M I, Souza A T, Santos M M, Ford A T, Campos J. (2021) Comparing production and life-history traits of a key amphipod species within and between estuaries under different levels of anthropogenic pressure. *Marine Environmental Research*, 1/11. doi.org/10.1016/j.marenvres.2021.105538

Melo W, Pinho J, Iglésias I, Bio A, Avilez-Valente P, Gomes A, Vieira J, Bastos L, Veloso-Gomes F. (2021). Numeral models' application for morphodynamics assessment of climate change impacts in the Minho river estuary. *Environmental Smoke, Special Issue*:1-6. doi: 10.32435/envsmoke/xibesymp.1

Uña-Álvarez E, Álvarez-Vázquez M A, Rodríguez-Blanco M L, Ramirez-Pérez A M. (2021). Inventory and characterization of erosive forms in the Barbantiño river (miño basin, galicia, nw Península Ibérica). *Environmental Smoke, Special Issue*: 7-16. doi: 10.32435/envsmoke/xibesymp.2

Álvarez-Vázquez M A, Uña-Álvarez E, Prego R. (2021). Background of U and Th in sediments of bedrock rivers - Environmental Smoke, Special Issue: 17-23. doi: 10.32435/envsmoke/xibesymp.3

- ✚ Costa D A, Gomes N, Cantallo H, Antunes C. (2021). Natural history museums: importance in the academic and society framework, the redemption search for the new horizons of science...- Environmental Smoke, Special Issue: 24-28. doi: 10.32435/envsmoke/xibesymp.4

Martinho A. (2021). Model for management and planning of fishing playful-sports in the river mouro hydrografic basin. Environmental Smoke, Special Issue: 29-35. doi: 10.32435/envsmoke/xibesymp.5

- ✚ Gomes N, Costa D A, Cantallo H, Antunes C. (2021). The importance of taxonomy on base science: the case study of the crustacean populations of the Minho river estuary (NW Iberian Peninsula). Environmental Smoke, Special Issue: 36-43. doi: 10.32435/envsmoke/xibesymp.6

- ✚ Cantallo H, Gomes N, Antunes C, Ribeiro T, Gomes M I, Costa D A. (2021). Catalogue of aquatic mites from the river Minho (NW Iberian Peninsula). Environmental Smoke, Special Issue: 44-47. doi: 10.32435/envsmoke/xibesymp.7

- ✚ Rodriguez M C A, Uña-Álvarez E (2021). A Dimensão do som na bacia superior do Rio Minho (galicia, nw península ibérica): caracterização como património hídrico, Special Issue: 48-53. doi: 10.32435/envsmoke/xibesymp.8

Ilarri M I, Monteiro R G, Ozório R, Sousa R (2022). Spatio-temporal and intra-specific variations in the physiological and biochemical condition of the invasive bivalve *Corbicula fluminea*. *Hidrobiologia* 849: 763-780, doi.org/10.1007/s10750-021-04733-4.

Vieite B, Braga H O, Neto E C, Azeiteiro U M (2022). Fishermen's knowledge and conservation attitudes: focus on the great cormorant *Phalacrocorax carbo* (Linnaeus, 1758) in the Minho River, Portugal. *Aquat Ecol*, doi.org/10.1007/s10452-021-09928-4.

- ✚ Martins I, Soares J, Neuparth T, Barreiro A; Xavier C, Antunes C, Santos M (2022). Prioritizing the Effects of Emerging Contaminants on Estuarine Production under Global Warming Scenarios. *Toxics*, 1-13, doi.org/10.3390/toxics10020046.

Carvalho S C, Braga H O, Santa-Maria S, Fonte B, Pereira M J, Garcia-Vinuesa A, Azeiteiro U M. (2022). Environmental Education and Communication Project on the Migratory Fishes and fishing Communities. *Education Sciences*, 1-18, doi.org/10.3390/educsci1070337.

Ilarri M , Monteiro R G, Ozório R, Sousa R (2022). Spatio-temporal and intra-specific variations in the invasive bivalve *Corbicula fluminea*. *Hydrobiologia* (2022) 849:763-780. doi.org/10.1007/s10750-021-04733-4.

Pereira H, Sousa M C, Vieira L R, Morgado F, Dias J M. (2022). Modelling Salt Intrusion and Estuarine Plumes under Climate Change Scenarios in Two Transitional Ecosystems from the NW Atlantic Coast. *Marine Science and Engineering*, 1-21. doi.org/10.3390/jmse10020262.

- ✚ Ilarri M, Souza A T, Dias E, Antunes C (2022). Influence of climate change and extreme weather events on an estuarine fish community. – *Science of Total Environment* – 1-12, doi.org/10.1016/j.scitotenv.2022.154190.

- ✚ Pereira L, Braga A C, Moura A, Antunes C. (2022) Prevalence of the *Anguillicola crassus* Parasite in the International Minho River. X Simpósio Ibérico sobre a Bacia Hidrográfica do Rio Minho. P.64-74. E-ISSN:2595-5527. 10.32435/envsmoke/xibesymp.10
  
- ✚ Louro P, Antunes C. (2022) Awareness Actions to reduce single-use plastics from land, based sources into rivers and oceans, in Minho River: outcomes from LowPlast Project. X Simpósio Ibérico sobre a Bacia Hidrográfica do Rio Minho. P. 54-63. E-ISSN:2595-5527. 10.32435/envsmoke/xibesymp.9